

PEER-REVIEW REPORT

Name of journal: *World Journal of Clinical Cases*

Manuscript NO: 78165

Title: Perithyroidal hemorrhage caused by hydrodissection during radiofrequency ablation for benign thyroid nodules: A report of two cases

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 05142913

Position: Peer Reviewer

Academic degree: Doctor, MBBS

Professional title: Doctor

Reviewer's Country/Territory: Saudi Arabia

Author's Country/Territory: China

Manuscript submission date: 2022-07-04

Reviewer chosen by: AI Technique

Reviewer accepted review: 2022-07-04 15:42

Reviewer performed review: 2022-07-04 15:46

Review time: 1 Hour

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input checked="" type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input checked="" type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
<https://www.wjgnet.com>

Peer-reviewer statements	Peer-Review: [<input checked="" type="checkbox"/>] Anonymous [<input type="checkbox"/>] Onymous Conflicts-of-Interest: [<input type="checkbox"/>] Yes [<input checked="" type="checkbox"/>] No
-------------------------------------	---

SPECIFIC COMMENTS TO AUTHORS

Good case

PEER-REVIEW REPORT

Name of journal: *World Journal of Clinical Cases*

Manuscript NO: 78165

Title: Perithyroidal hemorrhage caused by hydrodissection during radiofrequency ablation for benign thyroid nodules: A report of two cases

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 04668002

Position: Associate Editor

Academic degree: DDS, MSc, PhD

Professional title: Associate Professor, Doctor

Reviewer's Country/Territory: Sweden

Author's Country/Territory: China

Manuscript submission date: 2022-07-04

Reviewer chosen by: AI Technique

Reviewer accepted review: 2022-07-05 04:02

Reviewer performed review: 2022-07-05 04:07

Review time: 1 Hour

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
<https://www.wjgnet.com>

Peer-reviewer statements	Peer-Review: [Y] Anonymous [] Onymous Conflicts-of-Interest: [] Yes [Y] No
-------------------------------------	---

SPECIFIC COMMENTS TO AUTHORS

These are interesting cases, which were well-described and discussed. The conclusion and the take-away message are appropriate. The manuscript deserves to be published.

PEER-REVIEW REPORT

Name of journal: *World Journal of Clinical Cases*

Manuscript NO: 78165

Title: Perithyroidal hemorrhage caused by hydrodissection during radiofrequency ablation for benign thyroid nodules: A report of two cases

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 05506329

Position: Peer Reviewer

Academic degree: MBBS, MD

Professional title: Attending Doctor

Reviewer's Country/Territory: Nepal

Author's Country/Territory: China

Manuscript submission date: 2022-07-04

Reviewer chosen by: AI Technique

Reviewer accepted review: 2022-07-07 13:39

Reviewer performed review: 2022-07-14 14:39

Review time: 7 Days and 1 Hour

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
<https://www.wjgnet.com>

Peer-reviewer statements	Peer-Review: [<input checked="" type="checkbox"/>] Anonymous [<input type="checkbox"/>] Onymous Conflicts-of-Interest: [<input type="checkbox"/>] Yes [<input checked="" type="checkbox"/>] No
-------------------------------------	---

SPECIFIC COMMENTS TO AUTHORS

manuscript is nicely written. There are few typological errors and grammar polishing is required. It will be beneficial for the reader what are you planning to do with the residual mass after RFA.