

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568 **E-mail:** office@baishideng.com https://www.wjgnet.com

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 88644

Title: LiNA OperaScopeTM for microwave endometrial ablation for endometrial polyps

with heavy menstrual bleeding: A case report

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 03731362 Position: Peer Reviewer Academic degree: MD, PhD

Professional title: Chief Doctor, Professor, Surgeon, Surgical Oncologist

Reviewer's Country/Territory: China

Author's Country/Territory: Japan

Manuscript submission date: 2023-10-03

Reviewer chosen by: Yu-Lu Chen

Reviewer accepted review: 2023-11-15 08:35

Reviewer performed review: 2023-11-15 08:53

Review time: 1 Hour

	[] Grade A: Excellent [] Grade B: Very good [] Grade C:
Scientific quality	Good
	[Y] Grade D: Fair [] Grade E: Do not publish
Novelty of this manuscript	[] Grade A: Excellent [Y] Grade B: Good [] Grade C: Fair [] Grade D: No novelty
Creativity or innovation of	[] Grade A: Excellent [Y] Grade B: Good [] Grade C: Fair
this manuscript	[] Grade D: No creativity or innovation



7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568 E-mail: office@baishideng.com

https://www.wjgnet.com

Scientific significance of the conclusion in this manuscript	[] Grade A: Excellent [] Grade B: Good [Y] Grade C: Fair [] Grade D: No scientific significance
Language quality	[Y] Grade A: Priority publishing [] Grade B: Minor language polishing [] Grade C: A great deal of language polishing [] Grade D: Rejection
Conclusion	[] Accept (High priority) [] Accept (General priority) [Y] Minor revision [] Major revision [] Rejection
Re-review	[Y]Yes []No
Peer-reviewer statements	Peer-Review: [Y] Anonymous [] Onymous Conflicts-of-Interest: [] Yes [Y] No

SPECIFIC COMMENTS TO AUTHORS

good practice, look forward to seeing more cases and comparison