

## PEER-REVIEW REPORT

**Name of journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 91649

**Title:** Bone Block from Lateral Window: Correcting Vertical and Horizontal Bone Deficiency in Maxilla Posterior Site after Pseudocyst Removal: A Case Report

**Provenance and peer review:** Unsolicited Manuscript; Externally peer reviewed

**Peer-review model:** Single blind

**Reviewer's code:** 00570229

**Position:** Peer Reviewer

**Academic degree:** MD

**Professional title:** Doctor

**Reviewer's Country/Territory:** Taiwan

**Author's Country/Territory:** China

**Manuscript submission date:** 2024-01-01

**Reviewer chosen by:** AI Technique

**Reviewer accepted review:** 2024-01-02 00:52

**Reviewer performed review:** 2024-01-04 13:47

**Review time:** 2 Days and 12 Hours

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Novelty of this manuscript	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Good <input type="checkbox"/> Grade C: Fair <input type="checkbox"/> Grade D: No novelty
Creativity or innovation of this manuscript	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Good <input type="checkbox"/> Grade C: Fair <input type="checkbox"/> Grade D: No creativity or innovation

<b>Scientific significance of the conclusion in this manuscript</b>	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Good <input checked="" type="checkbox"/> Grade C: Fair <input type="checkbox"/> Grade D: No scientific significance
<b>Language quality</b>	<input type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input checked="" type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
<b>Conclusion</b>	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input checked="" type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
<b>Re-review</b>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<b>Peer-reviewer statements</b>	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous
	Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

## SPECIFIC COMMENTS TO AUTHORS

This is an interesting case report. The authors used the lateral-window bone plate from sinus lifting procedure as a bone block donor for horizontal bone augmentation at the neighboring surgical site. The surgical result looks fine after final implant placement. Several minor comments need to be revised or answered. 1. The English of this manuscript have several grammar errors. The manuscript has better be edited again. 2. Title: "for correcting" is suggested to change to "to correct". 3. Page 1: "Bio-gide" should change to "Bio-Gide". 4. Page 2: "complain" should change to "complaint". 5. Page 3: Please revise about the usage of mouthwash. How many days was the CHX mouthwash used before surgery? Three minutes for each time? 6. Page 3: "Articaine" should change to "articaine". Please confirm that the articaine is 2% instead of 4%. Most of the 3M articaine product is 4%. 7. Figure 2D: It is a pity that the suspected pseudocyst was not sent for pathological examination under microscope. 8. Page 5: "Albrektsson et al." needs the reference source. 9. "Reference" should change to "References". 10. References: The formats are inconsistent regarding "upper- and lower- cases" of the titles and "full names or abbreviations for the cited journals". Please revise each reference and let the



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-399-1568  
**E-mail:** [office@baishideng.com](mailto:office@baishideng.com)  
**https://**[www.wjgnet.com](http://www.wjgnet.com)

format be consistent.