



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA
Telephone: +1-925-223-8242 Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

ESPS manuscript NO: 30406

Title: Robotic single-site supracervical hysterectomy with manual morcellation: preliminary experience

Reviewer's code: 00742130

Reviewer's country: Israel

Science editor: Shui Qiu

Date sent for review: 2016-10-10 14:04

Date reviewed: 2016-11-02 16:37

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		BPG Search:	<input type="checkbox"/> Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

COMMENTS TO AUTHORS

Satisfactory written ,the references are old



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

ESPS manuscript NO: 30406

Title: Robotic single-site supracervical hysterectomy with manual morcellation: preliminary experience

Reviewer's code: 00742046

Reviewer's country: Taiwan

Science editor: Shui Qiu

Date sent for review: 2016-10-10 14:04

Date reviewed: 2016-11-11 10:09

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input type="checkbox"/> Plagiarism	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		<input checked="" type="checkbox"/> No	<input type="checkbox"/> Major revision
		BPG Search:	
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

COMMENTS TO AUTHORS

Comments to the article entitled "Robotic single-site supracervical hysterectomy with manual morcellation: preliminary experience" The authors investigated the feasibility of robotic single-site supracervical hysterectomy (RSSSH) for adenomyosis of the uterus and found that this approach is safe and acceptable in the management of the similar patients in the future based on the analysis of outcome from the 3 patients. This article is well written and worthy of consideration. Comments are shown below.

1. Since the use of single-site laparoscopic surgery becomes more popular in recent years and the authors focused on the uterus itself, (hysterectomy and suprocervical hysterectomy), and robotic procedure, the extensive review for this topic is needed. For example, it is well known that many excellent articles have shown the similar feasibility of single- and multiple-port laparoscopy in the performance of hysterectomy. The authors should include these excellent articles into their discussion. In addition, adnexal surgery seemed to be un-similar to uterine surgery, the cited references can be minimized.

2. It is relatively inappropriate to include "unpublished" and "submitted" articles as a cited reference.



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

ESPS manuscript NO: 30406

Title: Robotic single-site supracervical hysterectomy with manual morcellation: preliminary experience

Reviewer's code: 00742221

Reviewer's country: Italy

Science editor: Shui Qiu

Date sent for review: 2016-10-10 14:04

Date reviewed: 2016-11-12 15:21

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		BPG Search:	<input type="checkbox"/> Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

COMMENTS TO AUTHORS

the Article is interesting and well described



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

ESPS manuscript NO: 30406

Title: Robotic single-site supracervical hysterectomy with manual morcellation: preliminary experience

Reviewer's code: 00742253

Reviewer's country: Lithuania

Science editor: Shui Qiu

Date sent for review: 2016-10-10 14:04

Date reviewed: 2016-11-17 20:00

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input checked="" type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> Plagiarism	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		<input checked="" type="checkbox"/> No	<input type="checkbox"/> Major revision
		BPG Search:	
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

COMMENTS TO AUTHORS

The manuscript is generally well written and clearly presented. Needs to check for English grammar and spelling.