



PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 51394

Title: Percutaneous management of delayed atrium and lung perforation by active fixation pacemaker lead: A case report

Reviewer’s code: 02641825

Position: Peer Reviewer

Academic degree: MD

Professional title: Consultant Cardiac Surgeon

Reviewer’s country: South Korea

Author’s country: China

Reviewer chosen by: Le Zhang

Reviewer accepted review: 2019-10-03 15:00

Reviewer performed review: 2019-10-03 15:04

Review time: 1 Hour

| SCIENTIFIC QUALITY | LANGUAGE QUALITY | CONCLUSION | PEER-REVIEWER STATEMENTS |
|---|--|--|---|
| <input type="checkbox"/> Grade A: Excellent | <input checked="" type="checkbox"/> Grade A: Priority publishing | <input type="checkbox"/> Accept | Peer-Review: |
| <input type="checkbox"/> Grade B: Very good | <input type="checkbox"/> Grade B: Minor language | (High priority) | <input checked="" type="checkbox"/> Anonymous |
| <input checked="" type="checkbox"/> Grade C: Good | polishing | <input checked="" type="checkbox"/> Accept | <input type="checkbox"/> Onymous |
| <input type="checkbox"/> Grade D: Fair | <input type="checkbox"/> Grade C: A great deal of | (General priority) | Peer-reviewer’s expertise on the |
| <input type="checkbox"/> Grade E: Do not | language polishing | <input type="checkbox"/> Minor revision | topic of the manuscript: |
| publish | <input type="checkbox"/> Grade D: Rejection | <input type="checkbox"/> Major revision | <input type="checkbox"/> Advanced |
| | | <input type="checkbox"/> Rejection | <input checked="" type="checkbox"/> General |
| | | | <input type="checkbox"/> No expertise |
| | | | Conflicts-of-Interest: |
| | | | <input type="checkbox"/> Yes |
| | | | <input checked="" type="checkbox"/> No |

SPECIFIC COMMENTS TO AUTHORS



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-223-8242
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

Please submit any figure showing cardiac perforation.

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- The same title
- Duplicate publication
- Plagiarism
- No

BPG Search:

- The same title
- Duplicate publication
- Plagiarism
- No



PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 51394

Title: Percutaneous management of delayed atrium and lung perforation by active fixation pacemaker lead: A case report

Reviewer's code: 01201852

Position: Peer Reviewer

Academic degree: MD

Professional title: Consultant Cardiac Surgeon

Reviewer's country: United Arab Emirates

Author's country: China

Reviewer chosen by: Le Zhang

Reviewer accepted review: 2019-10-03 11:56

Reviewer performed review: 2019-10-07 07:29

Review time: 3 Days and 19 Hours

| SCIENTIFIC QUALITY | LANGUAGE QUALITY | CONCLUSION | PEER-REVIEWER STATEMENTS |
|---|---|--|---|
| <input type="checkbox"/> Grade A: Excellent | <input type="checkbox"/> Grade A: Priority publishing | <input type="checkbox"/> Accept | Peer-Review: |
| <input type="checkbox"/> Grade B: Very good | <input checked="" type="checkbox"/> Grade B: Minor language | (High priority) | <input checked="" type="checkbox"/> Anonymous |
| <input checked="" type="checkbox"/> Grade C: Good | polishing | <input checked="" type="checkbox"/> Accept | <input type="checkbox"/> Onymous |
| <input type="checkbox"/> Grade D: Fair | <input type="checkbox"/> Grade C: A great deal of | (General priority) | Peer-reviewer's expertise on the |
| <input type="checkbox"/> Grade E: Do not | language polishing | <input type="checkbox"/> Minor revision | topic of the manuscript: |
| publish | <input type="checkbox"/> Grade D: Rejection | <input type="checkbox"/> Major revision | <input checked="" type="checkbox"/> Advanced |
| | | <input type="checkbox"/> Rejection | <input type="checkbox"/> General |
| | | | <input type="checkbox"/> No expertise |
| | | | Conflicts-of-Interest: |
| | | | <input type="checkbox"/> Yes |
| | | | <input checked="" type="checkbox"/> No |

SPECIFIC COMMENTS TO AUTHORS



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-223-8242
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

The manuscript is well-written on a rare complication of the pacemaker lead. The patient was well-managed and the information provided is concise and up to date. This paper will be helpful for educational and research purpose for electrophysiologists to be aware about possible complications and management. Some places have errors (minor) of punctuations (apostrophe) and commas.

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- The same title
- Duplicate publication
- Plagiarism
- No

BPG Search:

- The same title
- Duplicate publication
- Plagiarism
- No