



PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 56603

Title: Small bowel obstruction caused by a bezoar following an adult simultaneous liver-kidney transplantation: A case report

Reviewer's code: 01798570

Position: Peer Reviewer

Academic degree: MD

Professional title: Adjunct Professor, Professor

Reviewer's Country/Territory: Turkey

Author's Country/Territory: United States

Manuscript submission date: 2020-05-07

Reviewer chosen by: AI Technique

Reviewer accepted review: 2020-05-19 10:25

Reviewer performed review: 2020-05-19 10:46

Review time: 1 Hour

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input checked="" type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

SPECIFIC COMMENTS TO AUTHORS

Small bowel obstructions (SBOs) are well known problem for large intra-abdominal operations. But bezoars are a relatively uncommon form of SBO. We have limited experience about SBOs caused by bezoars in post-transplant settings. For this reason, the case report can be accepted for publication.