

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 65884

Title: Chronic Active Epstein-Barr Virus Infection Treated with PEG-asparaginase: A Case Report

Reviewer's code: 05476462

Position: Peer Reviewer

Academic degree: MD

Professional title: Doctor

Reviewer's Country/Territory: Italy

Author's Country/Territory: China

Manuscript submission date: 2021-03-29

Reviewer chosen by: AI Technique

Reviewer accepted review: 2021-03-30 09:27

Reviewer performed review: 2021-04-06 08:11

Review time: 6 Days and 22 Hours

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input checked="" type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
<https://www.wjgnet.com>

SPECIFIC COMMENTS TO AUTHORS

The case report is well structured with consequential steps. I would suggest to add in the discussion that for the diagnosis of CAEV disease Americans also require the presence of lymphocytic infiltration of tissues or organs. (Cohen et al. Blood. 2011) The rationale for the use of asparaginase is also well supported by in vitro and in vivo evidences.