

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568 **E-mail:** bpgoffice@wjgnet.com https://www.wjgnet.com

## PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 68395

Title: Diagnosis and treatment analysis of primary pulmonary enteric adenocarcinoma:

six case reports and a literature review

Reviewer's code: 05873464 Position: Peer Reviewer Academic degree: MD

**Professional title:** Doctor

Reviewer's Country/Territory: China

Author's Country/Territory: China

Manuscript submission date: 2021-05-21

Reviewer chosen by: AI Technique

Reviewer accepted review: 2021-05-23 05:11

Reviewer performed review: 2021-06-01 03:05

**Review time:** 8 Days and 21 Hours

Scientific quality	[ ] Grade A: Excellent [ ] Grade B: Very good [Y] Grade C: Good [ ] Grade D: Fair [ ] Grade E: Do not publish
Language quality	[ ] Grade A: Priority publishing [ Y] Grade B: Minor language polishing [ ] Grade C: A great deal of language polishing [ ] Grade D: Rejection
Conclusion	[ ] Accept (High priority) [ ] Accept (General priority) [ Y] Minor revision [ ] Major revision [ ] Rejection
Re-review	[Y]Yes []No
Peer-reviewer statements	Peer-Review: [Y] Anonymous [ ] Onymous  Conflicts-of-Interest: [ ] Yes [Y] No



7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568

**E-mail:** bpgoffice@wjgnet.com

https://www.wignet.com

## SPECIFIC COMMENTS TO AUTHORS

This is an interesting and meaningful study. In this paper, 6 cases of primary lung intestinal adenocarcinoma were analyzed, and the diagnosis, treatment and related literature were reviewed. However, there still exist the following problems that need to be revised. 1. Please organize the information about the six cases into a timeline. 2. In the "introduction" part on page 4, there is a grammatical error which has been highlighted in yellow. This sentence lacks verb. 3. On page 6, it's better to move the section marked in yellow to the discussion part.