

PEER-REVIEW REPORT

Name of journal: *World Journal of Clinical Cases*

Manuscript NO: 62723

Title: Cognitive magnetic resonance imaging-ultrasound fusion transperineal targeted biopsy combined with randomized biopsy in detection of prostate cancer

Reviewer's code: 02942013

Position: Peer Reviewer

Academic degree: MD, MSc, PhD

Professional title: Associate Professor, Doctor

Reviewer's Country/Territory: Thailand

Author's Country/Territory: China

Manuscript submission date: 2021-01-20

Reviewer chosen by: Man Liu

Reviewer accepted review: 2021-08-06 14:55

Reviewer performed review: 2021-08-17 05:19

Review time: 10 Days and 14 Hours

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input checked="" type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

SPECIFIC COMMENTS TO AUTHORS

As the attached file.

RE-REVIEW REPORT OF REVISED MANUSCRIPT

Name of journal: *World Journal of Clinical Cases*

Manuscript NO: 62723

Title: Cognitive magnetic resonance imaging-ultrasound fusion transperineal targeted biopsy combined with randomized biopsy in detection of prostate cancer

Reviewer's code: 02942013

Position: Peer Reviewer

Academic degree: MD, MSc, PhD

Professional title: Associate Professor, Doctor

Reviewer's Country/Territory: Thailand

Author's Country/Territory: China

Manuscript submission date: 2021-01-20

Reviewer chosen by: Li-Li Wang

Reviewer accepted review: 2021-10-18 05:11

Reviewer performed review: 2021-10-18 05:33

Review time: 1 Hour

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input checked="" type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
<https://www.wjgnet.com>

1. In Table 1 and 2, please correct dimention --> dimension. 2. In Table 1, please correct proatate --> prostate. 3. In Table 3, please correct tumor and tomor --> tumour. Please carefully check many times before re-submit again.