



Baishideng Publishing Group Co., Limited

Room 903, Building D, Ocean International Center,
No.62 Dongsihuan Zhonglu, Chaoyang District, Beijing 100025, China
Telephone: +86-10-8538-1892 Fax: +86-10-8538-1893
E-mail: bpg@baishideng.com http://www.wjgnet.com

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

Ms: 2235

Title: The safety and efficacy of Single-incision laparoscopic surgery for appendectomies: a meta-analysis

Reviewer code: 00068211

Science editor: j.l.wang@wjgnet.com

Date sent for review: 2013-02-10 21:33

Date reviewed: 2013-02-14 21:51

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> [Y] Accept
<input type="checkbox"/> [Y] Grade B (Very good)	<input type="checkbox"/> [Y] Grade B: minor language polishing	<input type="checkbox"/> [] Existed	<input type="checkbox"/> [] High priority for publication
<input type="checkbox"/> [] Grade C (Good)	<input type="checkbox"/> [] Grade C: a great deal of language polishing	<input type="checkbox"/> [] No records	<input type="checkbox"/> [] Rejection
<input type="checkbox"/> [] Grade D (Fair)	<input type="checkbox"/> [] Grade D: rejected	<input type="checkbox"/> [] Existed	<input type="checkbox"/> [] Minor revision
<input type="checkbox"/> [] Grade E (Poor)		<input type="checkbox"/> [] No records	<input type="checkbox"/> [] Major revision

COMMENTS

COMMENTS TO AUTHORS:

This article has a small amount of language spelling errors. Single-incision laparoscopic surgery for appendectomies is new. We think it has great value.