

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 5245

Title: Ileo-ileal intussusception caused by diffuse large B-cell lymphoma of the ileum

Reviewer code: 01220166

Science editor: Wen, Ling-Ling

Date sent for review: 2013-08-25 20:47

Date reviewed: 2013-09-15 21:36

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input checked="" type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input checked="" type="checkbox"/> Grade D (Fair)		BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

I read with interest the paper, entitled "Ileo-ileal intussusception caused by diffuse large B-cell lymphoma of the ileum" by Xiequn Xu et al. My comments are as follow. 1. As the CT findings, it seems that the length of intussusception segment was not so long, and dilatation of oral side intestinal lumen was not seen. In this situation, was it possible to reduce the intussusception when an anal rout enteroscopy was performed? If the patient was free from the intestinal obstruction owing to the reduction of intussusception, was there a selection of treatment by chemotherapy with molecular target agent prior to surgical intervention? 2. In Discussion section, the sentence, "For the management of in enteric intussusceptions" is not understandable. Non-Hodgkin's lymphoma is malignant tumor, not benign, while intussusception is induced by either malignant or benign diseases. In general, malignant lymphoma was treated by chemotherapy with or without molecular target agent and radiotherapy. In the unusual situation, presenting intussusception, the authors should discuss strategy which treatment is applicable. 3. It is important issue whether diagnosis of an intestinal tumor as a leading point of the intussusception is possible or impossible. It is not clear in figures of this manuscript. Could you show the leading point for the invagination? 4. The authors should pay attention to abbreviation in consistency, which are defined at first appearance (i.e., OB in Case Presentation section). 5. In Figure 4, results of immunohistochemical staining including CD5, CD10, CD23, Bcl-6 and MUM-1 should be described whether it is positive or negative. 6. The paper contains a number of errors in English syntax, grammatical error and misspelling. Please ask a native or fluent English speaker to go over your manuscript with you to help with grammar, sentence construction, word choice and syntax.

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 5245

Title: Ileo-ileal intussusception caused by diffuse large B-cell lymphoma of the ileum

Reviewer code: 00032449

Science editor: Wen, Ling-Ling

Date sent for review: 2013-08-25 20:47

Date reviewed: 2013-09-19 00:58

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C (Good)	<input checked="" type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input checked="" type="checkbox"/> Grade D (Fair)		BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

This is an interesting case of adult intussusception due to NHL. I have some comments: "hemogram" is not a medical term. Please change. "anal route enteroscopy" -> please change: balloon assisted enteroscopy? Discussion: Some points that have been given in the introduction are repeated, please shorten. Please delete the recommendations for chemotherapy or radiotherapy in the discussion and conclusion since choice of therapy is complex and not the main focus of this case report. Conclusion: PET-CT scan is not necessarily required for diagnosis, rather for work-up in special cases. Please change: "Surgical interventions are required once the diagnosis of intussusception is made, due to the high risk of malignancy." Surgery is warranted because bowel obstruction. Language is quite poor. Please check grammar and spelling. Correction by a native speaker would be helpful. Thank you for the interesting case.

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 5245

Title: Ileo-ileal intussusception caused by diffuse large B-cell lymphoma of the ileum

Reviewer code: 00069978

Science editor: Wen, Ling-Ling

Date sent for review: 2013-08-25 20:47

Date reviewed: 2013-09-20 04:11

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C (Good)	<input checked="" type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input checked="" type="checkbox"/> Grade D (Fair)		BPG Search:	<input checked="" type="checkbox"/> Rejection
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Minor revision
		<input type="checkbox"/> No records	<input type="checkbox"/> Major revision

COMMENTS TO AUTHORS

The authors describe a case of intussusception secondary to intestinal lymphoma. There are several case reports existing of an intestinal mass contributing to intussusception. There is nothing novel about this case and its presentation. Hence i would recommend that this article be rejected

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 5245

Title: Ileo-ileal intussusception caused by diffuse large B-cell lymphoma of the ileum

Reviewer code: 00721687

Science editor: Wen, Ling-Ling

Date sent for review: 2013-08-25 20:47

Date reviewed: 2013-09-28 23:17

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input checked="" type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of	<input type="checkbox"/> No records	
<input type="checkbox"/> Grade D (Fair)	language polishing	BPG Search:	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Minor revision
		<input type="checkbox"/> No records	<input checked="" type="checkbox"/> Major revision

COMMENTS TO AUTHORS

Although authors stated that CT is the crucial for diagnosis of intussusceptions, it is generally assumed that ultrasound is the method of choice (with no radiation risk). Also, it is obligatory to give explanation, how patient treated complete ileal obstruction for period of two months, with no bloody stools constant vomiting. It is well explained in literature that 24- hours- lasting intussusceptions cause intestinal gangrene followed with bloody stools

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 5245

Title: Ileo-ileal intussusception caused by diffuse large B-cell lymphoma of the ileum

Reviewer code: 01213502

Science editor: Wen, Ling-Ling

Date sent for review: 2013-08-25 20:47

Date reviewed: 2013-09-30 13:15

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input checked="" type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)	<input type="checkbox"/> Grade D: rejected	BPG Search:	<input checked="" type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)		<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

This is a case report of "Ileo-ileal intussusception caused by diffuse large B-cell lymphoma of the ileum." Ileo-ileal intussusception caused by B-cell lymphoma is seen not so rarely in pediatric patients, but seemed rarely found in the adult. Some questions need explanations by the authors: 1. The lesion was found via CT scan instead of abdominal sonogram. Was CT routinely done for patients with abdominal pain? 2. In discussions, line 9:...The most useful preoperative diagnosis modality of intussusception is CT scan which would show.... ?I do not agree. Abdominal sonogram is. 3. In conclusion, the last sentence: "After the operation, adjuvant chemotherapy or radiotherapy is recommended." Is better omitted. ?There was no any method or design concerning the treatment in this study. We cannot make the conclusion from this study. 4. The term "Ileo-ileal intussusceptions" is better than "Ileo-ileum intussusception".