



Baishideng Publishing Group Co., Limited

Room 903, Building D, Ocean International Center,
No.62 Dongsihuan Zhonglu, Chaoyang District, Beijing 100025, China
Telephone: +86-10-8538-1892 Fax: +86-10-8538-1893
E-mail: bpg@baishideng.com http://www.wjgnet.com

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

Ms: 2800

Title: Endoscopic tools for the diagnosis and evaluation of celiac disease

Reviewer code: 00227371

Science editor: h.h.zhai@wjgnet.com

Date sent for review: 2013-03-19 11:52

Date reviewed: 2013-03-24 21:17

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input checked="" type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)		BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS

COMMENTS TO AUTHORS:

This manuscript evaluates the all endoscopic tolls and procedures in the diagnosis of celiac disease. Thats why it has a significance in my opinion. However, I have some suggestions for correcrion. Those are: 1- A Method section should be added to text including how did the literature searching and choosing performed? 2- At the main text, firstly standart endoscopic findings should be included, then the others reviewed.