



Baishideng Publishing Group Co., Limited

Flat C, 23/F., Lucky Plaza,
315-321 Lockhart Road,
Wan Chai, Hong Kong, China

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 7378

Title: Intrahepatic cholangiocarcinoma amenable to resection after radioembolization.

Reviewer code: 02462252

Science editor: Gou, Su-Xin

Date sent for review: 2013-11-18 16:26

Date reviewed: 2013-11-18 22:08

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C (Good)	<input checked="" type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)		BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

Of interest to the readership.



Baishideng Publishing Group Co., Limited

Flat C, 23/F., Lucky Plaza,
315-321 Lockhart Road,
Wan Chai, Hong Kong, China

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 7378

Title: Intrahepatic cholangiocarcinoma amenable to resection after radioembolization.

Reviewer code: 00029319

Science editor: Gou, Su-Xin

Date sent for review: 2013-11-18 16:26

Date reviewed: 2013-11-21 02:07

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C (Good)	<input checked="" type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)		BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

Interesting case report dealing with the value of radioembolization in the treatment of initially unresectable CCC. Useful aspect of a multimodal pathway.

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 7378

Title: Intrahepatic cholangiocarcinoma amenable to resection after radioembolization.

Reviewer code: 00069105

Science editor: Gou, Su-Xin

Date sent for review: 2013-11-18 16:26

Date reviewed: 2013-12-03 23:46

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input checked="" type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)		<input type="checkbox"/> No records	<input checked="" type="checkbox"/> Major revision

COMMENTS TO AUTHORS

Interesting case. I have found only 5 patients have been surgically rescued after SIRS for ICC. SIRS have been usually employed for treating unresectable cases. Abstract: segment IV is included (as you know) in left lobe so the sentence left lobe and segment IV should be changed: or left lobe or segments II to IV or left lateral sector plus segment IV. Case: Segment IV artery was an independent branch of left hepatic artery??? Discussion: Too short. I understand that you have only one case but perhaps resuming published data would be interesting. References: references about SIRS are OK but references about intrahepatic cholangiocarcinoma

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 7378

Title: Intrahepatic cholangiocarcinoma amenable to resection after radioembolization.

Reviewer code: 00926880

Science editor: Gou, Su-Xin

Date sent for review: 2013-11-18 16:26

Date reviewed: 2013-12-04 10:01

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input checked="" type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)		<input type="checkbox"/> No records	<input type="checkbox"/> Major revision

COMMENTS TO AUTHORS

A well written report on intrahepatic cholangiocarcinoma which responded to yttrium 90 microspheres and down-staged from unresectable to resectable.

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 7378

Title: Intrahepatic cholangiocarcinoma amenable to resection after radioembolization.

Reviewer code: 02444977

Science editor: Gou, Su-Xin

Date sent for review: 2013-11-18 16:26

Date reviewed: 2013-12-05 14:49

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input checked="" type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input checked="" type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)		<input type="checkbox"/> No records	<input type="checkbox"/> Major revision

COMMENTS TO AUTHORS

The authors showed that in unresectable of intrahepatic cholangiocarcinoma, radioembolization can be useful in the treatment of cholangiocarcinoma allowing in some cases a secondary resection. This case report is novel and useful for alternative treatment of ICC. Minor comment: The minor typing error in ms writing was found.

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 7378

Title: Intrahepatic cholangiocarcinoma amenable to resection after radioembolization.

Reviewer code: 00054271

Science editor: Gou, Su-Xin

Date sent for review: 2013-11-18 16:26

Date reviewed: 2013-12-06 06:31

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)		BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

I reviewed with pleasure the manuscript entitled "Intrahepatic cholangiocarcinoma amenable to resection after radioembolization" submitted for publication in the World Journal of Gastroenterology. This manuscript needs a complete review by an English native speaker. The case is not very convincing, particularly the figure 1 that does not provide clear evidence of the non resectability of the lesion.

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 7378

Title: Intrahepatic cholangiocarcinoma amenable to resection after radioembolization.

Reviewer code: 00058128

Science editor: Gou, Su-Xin

Date sent for review: 2013-11-18 16:26

Date reviewed: 2013-12-08 20:15

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C (Good)	<input checked="" type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input checked="" type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)		BPG Search:	<input checked="" type="checkbox"/> Minor revision
<input checked="" type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

Although the treatment effect of radioembolization is interesting, actual changes of tumor in relation to surrounding vascular structures or liver volumes that determine resectability of the tumor are difficult to understand without presenting adequate clinical data. Major comments: 1. The criteria of "unresectable tumor" is unclear. On the findings in figure A, the tumor seems resectable with partial resection of anterior wall of the RHV. Also it is unclear how the suspected invasion to the right hepatic artery changed after treatment. 2. Actual changes at each step after preoperative treatment should be presented.