



Baishideng Publishing Group Co., Limited

Flat C, 23/F., Lucky Plaza,
315-321 Lockhart Road,
Wan Chai, Hong Kong, China

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 8906

Title: A pilot proof-of-concept study of a modified device for one-step EUS-guided biliary drainage in a new experimental biliary dilatation animal model.

Reviewer code: 00074961

Science editor: Wen, Ling-Ling

Date sent for review: 2014-01-11 18:03

Date reviewed: 2014-01-13 06:52

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input checked="" type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)		<input type="checkbox"/> No records	<input type="checkbox"/> Major revision

COMMENTS TO AUTHORS

The assessment of an available bile duct dilatation model is not the main issue of your study; perhaps you should reduce the explanation about it in the discussion (last paragraph of page 11). In any case, it is an interesting secondary point



Baishideng Publishing Group Co., Limited

Flat C, 23/F., Lucky Plaza,
315-321 Lockhart Road,
Wan Chai, Hong Kong, China

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 8906

Title: A pilot proof-of-concept study of a modified device for one-step EUS-guided biliary drainage in a new experimental biliary dilatation animal model.

Reviewer code: 02572102

Science editor: Wen, Ling-Ling

Date sent for review: 2014-01-11 18:03

Date reviewed: 2014-01-15 10:27

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input checked="" type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)		BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

The article is interesting but the procedure details of the stent insertion could be more clear. A figure (illustration) of the procedure and anatomic location of the stent would enhance this manuscript. The fluoroscopic images and the endoscopic photograph does not provide sufficient clarity.