



Baishideng Publishing Group Co., Limited

Flat C, 23/F., Lucky Plaza,
315-321 Lockhart Road,
Wan Chai, Hong Kong, China

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 7524

Title: Endoscopic therapy for early gastric cancer: Standard techniques and recent advances in ESD

Reviewer code: 00724709

Science editor: Qi, Yuan

Date sent for review: 2013-11-23 17:46

Date reviewed: 2013-12-28 15:53

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input checked="" type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)	<input type="checkbox"/> Grade D: rejected	BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)		<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

In this manuscript, standard techniques and recent advances in ESD were described. It was well written for review of ESD techniques with pictures of special devices.



Baishideng Publishing Group Co., Limited

Flat C, 23/F., Lucky Plaza,
315-321 Lockhart Road,
Wan Chai, Hong Kong, China

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 7524

Title: Endoscopic therapy for early gastric cancer: Standard techniques and recent advances in ESD

Reviewer code: 01850720

Science editor: Qi, Yuan

Date sent for review: 2013-11-23 17:46

Date reviewed: 2014-01-03 23:24

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input checked="" type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)	<input type="checkbox"/> Grade D: rejected	BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)		<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

This article reviews the technique of endoscopic submucosal dissection as a treatment for early gastric cancer, its technical difficulties, as well as devices and techniques that may be used to overcome these difficulties. The article is well written and covers the techniques and associated limitations adequately.



Baishideng Publishing Group Co., Limited

Flat C, 23/F., Lucky Plaza,
315-321 Lockhart Road,
Wan Chai, Hong Kong, China

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 7524

Title: Endoscopic therapy for early gastric cancer: Standard techniques and recent advances in ESD

Reviewer code: 01799726

Science editor: Qi, Yuan

Date sent for review: 2013-11-23 17:46

Date reviewed: 2014-01-09 19:04

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)	<input type="checkbox"/> Grade D: rejected	BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)		<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

Reviewer to the author: The author provided an overview of standard techniques of ESD, introduced devices and reviewed recent advances in the MS. Meanwhile, drawbacks of ESD were also mentioned and the author pointed out advances in the devices and techniques have contributed to overcoming these drawbacks. The MS is well-prepared and can give important information of ESD for physicians. Yours sincerely!