



Baishideng Publishing Group Co., Limited

Flat C, 23/F., Lucky Plaza,
315-321 Lockhart Road, Wan Chai, Hong Kong, China

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 9344

Title: Laparoscopic partial resection for hemangioma in the third portion of the duodenum

Reviewer code: 02441746

Science editor: Gou, Su-Xin

Date sent for review: 2014-02-10 12:58

Date reviewed: 2014-02-10 23:58

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> [Y]Rejection
<input type="checkbox"/> Grade D (Fair)		BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

The term “hemangioma” refers to the common tumor of infancy that exhibits rapid postnatal growth and slow regression during childhood. It may cause confusion with venous malformations that are often incorrectly called “cavernous hemangioma”. A great variety of vascular anomalies is incorrectly referred to as “hemangiomas” in the medical literature and a significant number of patients receive ineffective and potentially harmful treatment based on misclassification. This case illustrates these misdiagnosis.

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 9344

Title: Laparoscopic partial resection for hemangioma in the third portion of the duodenum

Reviewer code: 02465209

Science editor: Gou, Su-Xin

Date sent for review: 2014-02-10 12:58

Date reviewed: 2014-02-13 02:45

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input checked="" type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)		BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

My main comment is that I believe that these tumors have been removed before and that the important of this paper is giving a clear technique for removal of these lesions. I think all comments regarding this being the first laparoscopic removal of a lesion in the 3rd portion of the duodenum needs to be removed. There are a few areas that could be reworded. At the end of the abstract I would add the word "duodenum" after third portion and in the introduction "invasiveness" is used to describe laparoscopic over open surgery. In my opinion laparoscopic and open surgery are equally invasive but there is a shorter recovery for most laparoscopic procedures over open.



Baishideng Publishing Group Co., Limited

Flat C, 23/F., Lucky Plaza,
315-321 Lockhart Road, Wan Chai, Hong Kong, China

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 9344

Title: Laparoscopic partial resection for hemangioma in the third portion of the duodenum

Reviewer code: 00742022

Science editor: Gou, Su-Xin

Date sent for review: 2014-02-10 12:58

Date reviewed: 2014-02-15 04:10

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)		<input type="checkbox"/> No records	<input type="checkbox"/> Major revision

COMMENTS TO AUTHORS

Laparoscopic partial resection for hemangioma in the third portion of the duodenum This case study is nicely done. I would only suggest some grammatical corrections, for example – Abstract After performing a laparoscopic Kocher maneuver was performed, the Text tumors, including in the duodenum has from the serosal side of duodenum we cut through full-thickness third portion of duodenum treated by totally laparoscopic was located extremely closed Despite of the preoperative finding



Baishideng Publishing Group Co., Limited

Flat C, 23/F., Lucky Plaza,
315-321 Lockhart Road, Wan Chai, Hong Kong, China

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 9344

Title: Laparoscopic partial resection for hemangioma in the third portion of the duodenum

Reviewer code: 02457808

Science editor: Gou, Su-Xin

Date sent for review: 2014-02-10 12:58

Date reviewed: 2014-02-18 21:27

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)		BPG Search:	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input checked="" type="checkbox"/> Minor revision
		<input type="checkbox"/> No records	<input type="checkbox"/> Major revision

COMMENTS TO AUTHORS

The authors present the case of a man having bleeding hemangiomas in the third portion of the duodenum and in the jejunum. The case is well described and gives new information. However, a great deal of language polishing is needed. In fact, after improvement of English language the title will better reflect the content of the paper and the Abstract will be better readable. Moreover the authors should include in the discussion a comparison between their surgical approach (totally laparoscopic resection) and the surgical approach proposed by Poultides et al. in 2011 (hand-assisted laparoscopic local duodenal resection) for tumors of the third portion of the duodenum.