



## BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: editorialoffice@wjgnet.com

<http://www.wjgnet.com>

### ESPS Peer-review Report

**Name of Journal:** World Journal of Gastroenterology

**ESPS Manuscript NO:** 10492

**Title:** Clinical impact of 4-frames compared to 2-frames per second on capsule endoscopy procedure:  
A prospective, comparative and multicenter study.

**Reviewer code:** 00006344

**Science editor:** Yuan Qi

**Date sent for review:** 2014-04-02 21:27

**Date reviewed:** 2014-04-09 15:09

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input checked="" type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B (Very good)	<input type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)	language polishing	BPG Search:	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input checked="" type="checkbox"/> Minor revision
		<input type="checkbox"/> No records	<input type="checkbox"/> Major revision

### COMMENTS TO AUTHORS

Important issue, well written. The authors could also comment about capsules of other companies to avoid bias. The text could be shortened.



## BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: editorialoffice@wjgnet.com

<http://www.wjgnet.com>

### ESPS Peer-review Report

**Name of Journal:** World Journal of Gastroenterology

**ESPS Manuscript NO:** 10492

**Title:** Clinical impact of 4-frames compared to 2-frames per second on capsule endoscopy procedure:  
A prospective, comparative and multicenter study.

**Reviewer code:** 00503460

**Science editor:** Yuan Qi

**Date sent for review:** 2014-04-02 21:27

**Date reviewed:** 2014-04-10 04:32

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input checked="" type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)		BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input checked="" type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

### COMMENTS TO AUTHORS

The references aren't up to date and should be improved.