



Baishideng Publishing Group Co., Limited

Flat C, 23/F., Lucky Plaza,
315-321 Lockhart Road,
Wan Chai, Hong Kong, China

ESPS Peer-review Report

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 9183

Title: Endoscopic prevention of post-ERCP pancreatitis

Reviewer code: 00068513

Science editor: Qi, Yuan

Date sent for review: 2014-01-25 09:54

Date reviewed: 2014-02-08 08:47

| CLASSIFICATION | LANGUAGE EVALUATION | RECOMMENDATION | CONCLUSION |
|--|---|-------------------------------------|--|
| <input type="checkbox"/> Grade A (Excellent) | <input type="checkbox"/> Grade A: Priority Publishing | Google Search: | <input checked="" type="checkbox"/> Accept |
| <input type="checkbox"/> Grade B (Very good) | <input checked="" type="checkbox"/> Grade B: minor language polishing | <input type="checkbox"/> Existed | <input type="checkbox"/> High priority for publication |
| <input checked="" type="checkbox"/> Grade C (Good) | <input type="checkbox"/> Grade C: a great deal of language polishing | <input type="checkbox"/> No records | <input type="checkbox"/> Rejection |
| <input type="checkbox"/> Grade D (Fair) | <input type="checkbox"/> Grade D: rejected | <input type="checkbox"/> Existed | <input type="checkbox"/> Minor revision |
| <input type="checkbox"/> Grade E (Poor) | | <input type="checkbox"/> No records | <input type="checkbox"/> Major revision |

COMMENTS TO AUTHORS

The authors reviewed the ideal type of stent, the timing of stent insertion, and the duration of stent placement and described initial cannulation methods. The topic is interesting and meaningful, the manuscript is well written, and the material is detailed. I am pleased to suggest its acceptance in this publication.