



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER REVIEW REPORT

Name of journal: World Journal of Gastroenterology

ESPS manuscript NO: 11956

Title: Effectiveness of a Passive-Bending, Short type Single Balloon Enteroscope for ERCP in Patients with a Roux-en-Y Anastomosis

Reviewer code: 01560462

Science editor: Su-Xin Gou

Date sent for review: 2014-06-16 08:04

Date reviewed: 2014-07-13 16:38

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> Existing	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		<input type="checkbox"/> Existing	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

This endoscope is the thing which may improve the maneuver success rate, and an article is very splendid content. The figure is very clean, too. Minor revision 1) Balloon endoscope listed that it was useful as a pancreato-biliary endoscope in Introduction, but originally the balloon endoscope was used because Yamamoto and others observed a small intestine lesion. It is thought that one listing the history for the balloon endoscope is preferable. 2) Please correct it in Key words Roux-en-Y → Roux-en-Y anastomosis.



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER REVIEW REPORT

Name of journal: World Journal of Gastroenterology

ESPS manuscript NO: 11956

Title: Effectiveness of a Passive-Bending, Short type Single Balloon Enteroscope for ERCP in Patients with a Roux-en-Y Anastomosis

Reviewer code: 02542637

Science editor: Su-Xin Gou

Date sent for review: 2014-06-16 08:04

Date reviewed: 2014-07-21 22:29

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> Existing	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	BPG Search:	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		<input type="checkbox"/> Existing	<input type="checkbox"/> Major revision
		<input type="checkbox"/> No records	

COMMENTS TO AUTHORS

Dear author, just be kind to correct the name of the surgical procedure in the section "key words", from "Roux-en-Y" to "Roux-en-Y anastomosis". Nice work