



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Gastroenterology

ESPS manuscript NO: 21846

Title: Ultrasound Virtual Endoscopy: Polyp Detection and the Reliability of Measurements in an in Vitro Study with Pig Intestine Specimens

Reviewer's code: 00074961

Reviewer's country: Spain

Science editor: Ze-Mao Gong

Date sent for review: 2015-08-01 17:19

Date reviewed: 2015-08-04 00:18

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> [Y] Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> [] High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> [] Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input type="checkbox"/> Plagiarism	<input type="checkbox"/> [] Minor revision
<input type="checkbox"/> Grade E: Poor		<input checked="" type="checkbox"/> [Y] No	<input type="checkbox"/> [] Major revision
		BPG Search:	
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> [Y] No	

COMMENTS TO AUTHORS

You have performed a well designed study. It is detailed, easy to read and the subject (with all the important limitations of a preliminary approach you report) could be relevant in Medicine in Future. I encourage you to carry out in vivo studies.