



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

## ESPS PEER-REVIEW REPORT

**Name of journal:** World Journal of Gastroenterology

**ESPS manuscript NO:** 19038

**Title:** Vascular complications after adult living donor liver transplantation: Evaluation with ultrasonography

**Reviewer's code:** 00057695

**Reviewer's country:** Saudi Arabia

**Science editor:** Jing Yu

**Date sent for review:** 2015-05-06 20:19

**Date reviewed:** 2015-07-22 15:43

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input type="checkbox"/> Plagiarism	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		<input type="checkbox"/> No	<input type="checkbox"/> Major revision
		BPG Search:	
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input type="checkbox"/> No	

### COMMENTS TO AUTHORS

This is a nicely-written review of the role of conventional gray-scale ultrasound, Doppler ultrasound and CEUS for early diagnosis of vascular complications after adult LDLT. I have the following comments: 1. There is a problem with the punctuation especially in the Introduction e.g. (;) should be replaced by full stop (.). 2. It is worth including some illustrative figures of US findings in various vascular complications of LRLT 3. What are the false positive and false negative rates of Doppler US in detecting HAT? 4. Page 5, paragraph 2: Correct grammar mistake "... which may result in reduce use of angiography ." 5. Page 6, under HAS: Change (anastomosis stoma) to anastomotic site). 6. Page 8, under PVT: Correct grammar mistake "PVT may be lead to liver function". 7. Page 10, paragraph 2: change "the drainage areas" to "the drained area".