



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

## ESPS PEER-REVIEW REPORT

**Name of journal:** World Journal of Gastroenterology

**ESPS manuscript NO:** 27813

**Title:** Self expanding metal stents for the palliation of malignant gastric outlet obstruction in patients with peritoneal carcinomatosis

**Reviewer's code:** 02439561

**Reviewer's country:** South Korea

**Science editor:** Ze-Mao Gong

**Date sent for review:** 2016-06-17 16:07

**Date reviewed:** 2016-07-08 11:00

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		BPG Search:	<input type="checkbox"/> Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

### COMMENTS TO AUTHORS

You did an excellent job, however you need to check English spelling by computer software automatically before submission.