



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

## ESPS PEER-REVIEW REPORT

**Name of journal:** World Journal of Gastrointestinal Surgery

**ESPS manuscript NO:** 20714

**Title:** Management of low colorectal anastomotic leak: Preserving the anastomosis

**Reviewer's code:** 02550474

**Reviewer's country:** Argentina

**Science editor:** Yue-Li Tian

**Date sent for review:** 2015-06-17 19:45

**Date reviewed:** 2015-06-23 00:43

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good		<input type="checkbox"/> Duplicate publication	
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Plagiarism	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade E: Poor	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Minor revision
		BPG Search:	<input type="checkbox"/> Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

### COMMENTS TO AUTHORS

The article is very interesting. Leaks are one of the most problems that surgeons has to deal day by day. I find this article very interesting and suggest to be published.