

PEER-REVIEW REPORT

Name of journal: World Journal of Radiology

Manuscript NO: 36885

Title: After laparoscopic Roux-en-Y gastric Bypass Computed Tomography as primary postoperative follow-up

Reviewer's code: 02577402

Reviewer's country: China

Science editor: Li-Jun Cui

Date sent for review: 2017-11-02

Date reviewed: 2017-11-07

Review time: 5 Days

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input type="checkbox"/> Plagiarism	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		<input type="checkbox"/> No	<input type="checkbox"/> Major revision
		BPG Search:	
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input type="checkbox"/> No	

COMMENTS TO AUTHORS

The authors investigated computed tomography as postoperative follow-up after laparoscopic Roux-en-Y gastric bypass. Some problems existed. 1. In the abstract and RESULTS in the text as well, the authors said that "The average total dose length product in CT was 536.6 mGycm and 7.8 mSv, respectively.". How do you use respectively? It seems it lacks something. I checked the CT technique part in the MATERIALS AND METHODS and found that "The average total dose length product was registered and radiation dose was calculated." So, the above sentence missed the "radiation dose" between "product" and "in CT". Please check. 2. Miss use of punctuation: Some missed use of punctuations was in the text. Please check the whole article and correct these miss-uses. 3. In figure 2, "Proximal anastomosis and with oral contrast-filled pouch" should be "Proximal anastomosis with oral contrast-filled pouch".



7901 Stoneridge Drive, Suite 501,
Pleasanton, CA 94588, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
https:// www.wjgnet.com

Please check.



**Baishideng
Publishing
Group**

7901 Stoneridge Drive, Suite 501,
Pleasanton, CA 94588, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
https:// www.wjgnet.com

PEER-REVIEW REPORT

Name of journal: World Journal of Radiology

Manuscript NO: 36885

Title: After laparoscopic Roux-en-Y gastric Bypass Computed Tomography as primary postoperative follow-up

Reviewer's code: 00183086

Reviewer's country: Greece

Science editor: Li-Jun Cui

Date sent for review: 2017-11-02

Date reviewed: 2017-11-23

Review time: 21 Days

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> [Y] Accept
<input type="checkbox"/> [Y] Grade B: Very good	<input type="checkbox"/> [Y] Grade B: Minor language polishing	<input type="checkbox"/> [] The same title	<input type="checkbox"/> [] High priority for publication
<input type="checkbox"/> [] Grade C: Good	<input type="checkbox"/> [] Grade C: A great deal of language polishing	<input type="checkbox"/> [] Duplicate publication	<input type="checkbox"/> [] Rejection
<input type="checkbox"/> [] Grade D: Fair	<input type="checkbox"/> [] Grade D: Rejected	<input type="checkbox"/> [Y] No	<input type="checkbox"/> [] Minor revision
<input type="checkbox"/> [] Grade E: Poor		BPG Search:	<input type="checkbox"/> [] Major revision
		<input type="checkbox"/> [] The same title	
		<input type="checkbox"/> [] Duplicate publication	
		<input type="checkbox"/> [] Plagiarism	
		<input type="checkbox"/> [Y] No	

COMMENTS TO AUTHORS

Excellent work. The study should be accepted for publication.