

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Radiology

ESPS manuscript NO: 25346

Title: Cone beam computed tomography aided diagnosis and treatment of endodontic cases: Critical analysis

Reviewer's code: 00233953

Reviewer's country: United States

Science editor: Fang-Fang Ji

Date sent for review: 2016-03-07 10:54

Date reviewed: 2016-03-08 09:52

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input checked="" type="checkbox"/> [Y] Accept
<input type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> [Y] Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> [] High priority for publication
<input checked="" type="checkbox"/> [Y] Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> [] Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> [Y] No	<input type="checkbox"/> [] Minor revision
<input type="checkbox"/> Grade E: Poor		BPG Search:	<input type="checkbox"/> [] Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> [Y] No	

COMMENTS TO AUTHORS

please discuss details of radiation exposure and compare to standard films

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Radiology

ESPS manuscript NO: 25346

Title: Cone beam computed tomography aided diagnosis and treatment of endodontic cases: Critical analysis

Reviewer's code: 00742144

Reviewer's country: Portugal

Science editor: Fang-Fang Ji

Date sent for review: 2016-03-07 10:54

Date reviewed: 2016-03-22 00:19

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good		<input type="checkbox"/> Duplicate publication	
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Plagiarism	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade E: Poor		<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Minor revision
	<input type="checkbox"/> Grade D: Rejected	BPG Search:	<input type="checkbox"/> Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

COMMENTS TO AUTHORS

The English has several errors and need to be revised. The manufacturer of the material used between sessions is not referenced. What is the technique used for filling the root canal system? In the clinical case 6 what kind of fixation was used?

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Radiology

ESPS manuscript NO: 25346

Title: Cone beam computed tomography aided diagnosis and treatment of endodontic cases: Critical analysis

Reviewer's code: 00646593

Reviewer's country: Turkey

Science editor: Fang-Fang Ji

Date sent for review: 2016-03-07 10:54

Date reviewed: 2016-03-26 23:15

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C: Good		<input type="checkbox"/> Duplicate publication	
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Plagiarism	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade E: Poor		<input checked="" type="checkbox"/> No	<input type="checkbox"/> Minor revision
	<input type="checkbox"/> Grade D: Rejected	BPG Search:	<input type="checkbox"/> Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

COMMENTS TO AUTHORS

Useful info on relatively new technique of cone beam dental CT. A shorter title would be better.

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Radiology

ESPS manuscript NO: 25346

Title: Cone beam computed tomography aided diagnosis and treatment of endodontic cases: Critical analysis

Reviewer's code: 00289418

Reviewer's country: Greece

Science editor: Fang-Fang Ji

Date sent for review: 2016-03-07 10:54

Date reviewed: 2016-04-06 17:10

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input type="checkbox"/> Plagiarism	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		[Y] No	<input type="checkbox"/> Major revision
		BPG Search:	
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		[Y] No	

COMMENTS TO AUTHORS

There are only a few minor corrections that you should make Introduction: A cone-beam algorithm is then applied ... A reconstruction algorithm is then applied Case 5: ...(Figure 5c). At this initial visit, root canal (add a comma after visit) Case 6: ... from two different angles showed ...from two different angles showed ... Case 6: ... we managed to detect a HRF in right central ... The abbreviation HRF has not yet described (it is done in the discussion) Discussion: As the lesion involved only 1 root, treatment with MTA was conducted (add a comma after root) Discussion: in cases where extra root canals are expected ... expected or suspected?