



## PEER-REVIEW REPORT

**Name of journal:** World Journal of Cardiology

**Manuscript NO:** 59117

**Title:** Rapid Right Ventricular Pacing for Balloon Valvuloplasty in Congenital Aortic Stenosis: A Systematic Review

**Reviewer's code:** 03639986

**Position:** Editorial Board

**Academic degree:** MD, PhD

**Professional title:** Associate Professor

**Reviewer's Country/Territory:** China

**Author's Country/Territory:** United States

**Manuscript submission date:** 2020-08-25

**Reviewer chosen by:** AI Technique

**Reviewer accepted review:** 2020-08-25 07:38

**Reviewer performed review:** 2020-09-07 15:56

**Review time:** 13 Days and 8 Hours

<b>Scientific quality</b>	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
<b>Language quality</b>	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
<b>Conclusion</b>	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input checked="" type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
<b>Re-review</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<b>Peer-reviewer statements</b>	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-399-1568  
**E-mail:** bpgoffice@wjgnet.com  
**https://**www.wjgnet.com

#### **SPECIFIC COMMENTS TO AUTHORS**

1. Abstract: "AIM" should be "To evaluate the role of rapid right ventricular pacing (RRVP) in balloon stabilization during BAV on aortic regurgitation (AR) in pediatric patients" , because the literatures which be analyzed were non randomized controlled studies. 2. Grammatical and format errors need to be corrected.