



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Cardiology

ESPS manuscript NO: 31907

Title: Transcervical Access, Reversal of Flow and Mesh-covered Stents: The New Options in the Armamentarium of Carotid Artery Stenting

Reviewer's code: 02842647

Reviewer's country: China

Science editor: Jin-Xin Kong

Date sent for review: 2016-12-16 10:53

Date reviewed: 2016-12-27 08:20

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input type="checkbox"/> Plagiarism	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		<input type="checkbox"/> No	<input type="checkbox"/> Major revision
		BPG Search:	
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input type="checkbox"/> No	

COMMENTS TO AUTHORS

to use appropriate words for the advantages of CAS. Some words may be too aggressive in conclusion.



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Cardiology

ESPS manuscript NO: 31907

Title: Transcervical Access, Reversal of Flow and Mesh-covered Stents: The New Options in the Armamentarium of Carotid Artery Stenting

Reviewer's code: 00608261

Reviewer's country: Italy

Science editor: Jin-Xin Kong

Date sent for review: 2016-12-16 10:53

Date reviewed: 2016-12-29 00:09

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		BPG Search:	<input type="checkbox"/> Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

COMMENTS TO AUTHORS

It's an interesting summarize of the various technologies advances in the field of CAS.



ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Cardiology

ESPS manuscript NO: 31907

Title: Transcervical Access, Reversal of Flow and Mesh-covered Stents: The New Options in the Armamentarium of Carotid Artery Stenting

Reviewer’s code: 03654609

Reviewer’s country: Italy

Science editor: Jin-Xin Kong

Date sent for review: 2016-12-16 10:53

Date reviewed: 2017-01-10 05:17

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		BPG Search:	<input type="checkbox"/> Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

COMMENTS TO AUTHORS

I really appreciated this very complete review about carotid artery stenting. I have only some considerations to make, in order to improve this work further. 1) I would cite the recent results of 10 years of CREST trial and of the ACT I trial that confirm the equipoise between CAS and CEA. I would cite the wide registry of Stabile and coll., regarding the use of MoMa device in more than 1200 consecutive patients, with excellent results. 2) I would better divide the subjects in order to make the presentation easier to be understood. First the introduction, secondly the introduction of the proximal protection devices (nowadays only the MoMa is approved), third the alternative radial access (in particular what the advantages can be carried by such approach compared to the femoral) as well as the carotid one. Finally the new mesh covered stents.