



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Orthopedics

ESPS manuscript NO: 30002

Title: Total hip replacement: A meta-analysis to evaluate survival of cemented, cementless and hybrid implants

Reviewer's code: 02444730

Reviewer's country: Greece

Science editor: Shui Qiu

Date sent for review: 2016-09-07 10:25

Date reviewed: 2016-09-09 23:52

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		BPG Search:	<input type="checkbox"/> Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

COMMENTS TO AUTHORS

This is a meta-analysis concerning the results after total hip replacement according to 3 different methods of implants' fixation; cemented, cementless and hybrid. This manuscript contains valuable information on this controversial topic. It is well presented. COMMENTS I believe that in the DISCUSSION section the authors should include some discussion concerning the existing literature (previous review or meta-analysis) on the same topic.



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Orthopedics

ESPS manuscript NO: 30002

Title: Total hip replacement: A meta-analysis to evaluate survival of cemented, cementless and hybrid implants

Reviewer's code: 03596860

Reviewer's country: Switzerland

Science editor: Shui Qiu

Date sent for review: 2016-09-07 10:25

Date reviewed: 2016-09-11 08:16

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		BPG Search:	<input type="checkbox"/> Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

COMMENTS TO AUTHORS

Dear Authors, Your article provides a systematic meta analysis of articles comparing cemented to uncemented and hybrid implants and evaluating the risks of revision surgery. I think overall it is well structured and extensively build up and therefore useful for the readers of this journal. However I think that the discussion section is poorly worked up. The authors should comment more on the findings of the meta analysis.



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Orthopedics

ESPS manuscript NO: 30002

Title: Total hip replacement: A meta-analysis to evaluate survival of cemented, cementless and hybrid implants

Reviewer's code: 03624313

Reviewer's country: China

Science editor: Shui Qiu

Date sent for review: 2016-09-07 10:25

Date reviewed: 2016-09-12 18:37

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C: Good		<input type="checkbox"/> Duplicate publication	
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Plagiarism	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade E: Poor	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Minor revision
		BPG Search:	<input type="checkbox"/> Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

COMMENTS TO AUTHORS

This is an interesting technique description. I have only some comments that in the abstract should provide a clear message of this report.