

7901 Stoneridge Drive, Suite 501, Pleasanton, CA 94588, USA **Telephone:** +1-925-223-8242

**Fax:** +1-925-223-8243

**E-mail:** bpgoffice@wjgnet.com **https:**//www.wjgnet.com

# PEER-REVIEW REPORT

Name of journal: World Journal of Orthopedics

Manuscript NO: 42525

Title: A rare case of metallosis following a clip breakage in a total knee arthroplasty

implant - A Case Report

Reviewer's code: 02444787

Reviewer's country: Turkey

Science editor: Fang-Fang Ji

Date sent for review: 2018-10-19

**Date reviewed:** 2018-10-24

**Review time:** 4 Days

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
[ ] Grade A: Excellent	[ ] Grade A: Priority publishing	[ ] Accept	Peer-Review:
[ ] Grade B: Very good	[ Y] Grade B: Minor language	(High priority)	[Y] Anonymous
[Y] Grade C: Good	polishing	[Y] Accept	[ ] Onymous
[ ] Grade D: Fair	[ ] Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
[ ] Grade E: Do not	language polishing	[ ] Minor revision	topic of the manuscript:
publish	[ ] Grade D: Rejection	[ ] Major revision	[ ] Advanced
		[ ] Rejection	[ Y] General
			[ ] No expertise
			Conflicts-of-Interest:
			[ ] Yes
			[ Y] No

# SPECIFIC COMMENTS TO AUTHORS

This is a rarely observed case. Especially on the initial plane X-rays clip breakage can easily be missed. This rare case warn surgeons againts the possibility of this status.



7901 Stoneridge Drive, Suite 501, Pleasanton, CA 94588, USA **Telephone:** +1-925-223-8242

**Fax:** +1-925-223-8243

**E-mail:** bpgoffice@wjgnet.com **https**://www.wjgnet.com

# INITIAL REVIEW OF THE MANUSCRIPT

Google Search:		
[ ] The same title		
[ ] Duplicate publication		
[ ] Plagiarism		
[Y] No		
BPG Search:		
BPG Search:		
BPG Search:  [ ] The same title		
[ ] The same title		



7901 Stoneridge Drive, Suite 501, Pleasanton, CA 94588, USA **Telephone:** +1-925-223-8242

**Fax:** +1-925-223-8243

E-mail: bpgoffice@wjgnet.com https://www.wjgnet.com

# PEER-REVIEW REPORT

Name of journal: World Journal of Orthopedics

Manuscript NO: 42525

Title: A rare case of metallosis following a clip breakage in a total knee arthroplasty

implant - A Case Report

Reviewer's code: 02444730

Reviewer's country: Greece

Science editor: Fang-Fang Ji

Date sent for review: 2018-10-31

**Date reviewed:** 2018-11-03

**Review time:** 3 Days

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
[ ] Grade A: Excellent	[Y] Grade A: Priority publishing	[Y] Accept	Peer-Review:
[ ] Grade B: Very good	[ ] Grade B: Minor language	(High priority)	[Y] Anonymous
[ Y] Grade C: Good	polishing	[ ] Accept	[ ] Onymous
[ ] Grade D: Fair	[ ] Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
[ ] Grade E: Do not	language polishing	[ ] Minor revision	topic of the manuscript:
publish	[ ] Grade D: Rejection	[ ] Major revision	[Y] Advanced
		[ ] Rejection	[ ] General
			[ ] No expertise
			Conflicts-of-Interest:
			[ ] Yes
			[ Y] No

# SPECIFIC COMMENTS TO AUTHORS

This manuscript describes a rare complication. The case report is very well presented.

#### INITIAL REVIEW OF THE MANUSCRIPT



7901 Stoneridge Drive, Suite 501, Pleasanton, CA 94588, USA **Telephone:** +1-925-223-8242

**Fax:** +1-925-223-8243

**E-mail:** bpgoffice@wjgnet.com **https**://www.wjgnet.com

Google Search:			
[	] The same title		
[	] Duplicate publication		
[	] Plagiarism		
[Y]No			
BPG Search:			
[	] The same title		
[	] Duplicate publication		
[	] Plagiarism		
[ ]	( ] No		