

PEER-REVIEW REPORT

Name of journal: World Journal of Anesthesiology

Manuscript NO: 57283

Title: Unusual bronchoscopic value in percutaneous dilatational tracheostomy: A case report

Reviewer's code: 05327910

Position: Peer Reviewer

Academic degree: MD

Professional title: Doctor

Reviewer's Country/Territory: Italy

Author's Country/Territory: Qatar

Manuscript submission date: 2020-06-08

Reviewer chosen by: AI Technique

Reviewer accepted review: 2020-06-09 10:02

Reviewer performed review: 2020-06-09 12:26

Review time: 2 Hours

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input checked="" type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
<https://www.wjgnet.com>

SPECIFIC COMMENTS TO AUTHORS

The case report is well written and, in my opinion, it reports a really rare complication during PDT with Blurhino technique, never seen in my career. The complication was promptly detected, well described, and solved in safety thanks to continuous endoscopic vision. The Fig.1 (bronchoscopic view) is not so clear. The Fig.2 is adequate. (little suggestion: Would it be possible to enlarge the tip of the endotracheal tube without losing image quality?) In the article I did not find hypotheses by the authors about possible causes of this problem. Perforation of endotracheal tube during tracheal needle insertion? (in the first step of the procedure?) I would focus on this aspect and on the methods to prevent this type of complication. Finally, I'm wondering: number of references can be reduced?

RE-REVIEW REPORT OF REVISED MANUSCRIPT

Name of journal: World Journal of Anesthesiology

Manuscript NO: 57283

Title: Unusual bronchoscopic value in percutaneous dilatational tracheostomy: A case report

Reviewer's code: 05327910

Position: Peer Reviewer

Academic degree: MD

Professional title: Doctor

Reviewer's Country/Territory: Italy

Author's Country/Territory: Qatar

Manuscript submission date: 2020-06-08

Reviewer chosen by: Han Zhang

Reviewer accepted review: 2020-07-26 16:53

Reviewer performed review: 2020-07-26 17:12

Review time: 1 Hour

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input checked="" type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

I am satisfied with the corrections and clarifications. nothing else to add.