

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242 Fax: +1-925-223-8243 E-mail: bpgoffice@wjgnet.com http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Hematology

ESPS manuscript NO: 31858

Title: Management of unstable angina in a patient with haemophilia A

Reviewer's code: 00646241 Reviewer's country: Germany Science editor: Fang-Fang Ji

Date sent for review: 2016-12-13 16:14

Date reviewed: 2017-01-20 01:44

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
[] Grade A: Excellent	[] Grade A: Priority publishing	Google Search:	[] Accept
[] Grade B: Very good	[] Grade B: Minor language	[] The same title	[] High priority for
[] Grade C: Good	polishing	[] Duplicate publication	publication
[Y] Grade D: Fair	[Y] Grade C: A great deal of	[] Plagiarism	[] Rejection
[] Grade E: Poor	language polishing	[Y] No	[] Minor revision
	[] Grade D: Rejected	BPG Search:	[Y] Major revision
		[] The same title	
		[] Duplicate publication	
		[] Plagiarism	
		[Y] No	

COMMENTS TO AUTHORS

In their work, "The management of unstable angina in a patient with Haemophilia A", the authors, Andreina Carbone, et al., give an interesting overview concerning this important subject. They start by a case report, describing a patient with 50% of F VIII activity, who underwent a cardiological intervention due to instable angina; this was performed without any supplementation of coagulation factors. In my view, the relevance of this case for the general problem of cardiologic interventions in patients with hemophilia A is quite limited since the situation generally is much more complicated in patients with low residual activity of FVIII. The paper does not contain very many helpful information on such patients with severe disease and is thus not very useful. The language is not appropriate and should be corrected by a native speaker. Examples for language problems in abstract and introduction: Instead of the life expectancy hemophiliac patients are improved and consequently better write the life expectancy of hemophiliac patients has improved and consequently Instead of Hemophilia A is a X-linked recessive disorder with frequency of approximately 1 in 8,500 live births, better write Hemophilia A is an X-linked recessive disorder with a frequency of approximately 1 in 8,500 live births,



8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242 Fax: +1-925-223-8243 E-mail: bpgoffice@wjgnet.com http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Hematology

ESPS manuscript NO: 31858

Title: Management of unstable angina in a patient with haemophilia A

Reviewer's code: 01277682 Reviewer's country: Japan Science editor: Fang-Fang Ji

Date sent for review: 2016-12-13 16:14

Date reviewed: 2017-02-21 12:56

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
[Y] Grade A: Excellent	[Y] Grade A: Priority publishing	Google Search:	[Y] Accept
[] Grade B: Very good	[] Grade B: Minor language	[] The same title	[] High priority for
[] Grade C: Good	polishing	[] Duplicate publication	publication
[] Grade D: Fair	[] Grade C: A great deal of	[] Plagiarism	[] Rejection
[] Grade E: Poor	language polishing	[Y] No	[] Minor revision
	[] Grade D: Rejected	BPG Search:	[] Major revision
		[] The same title	
		[] Duplicate publication	
		[] Plagiarism	
		[Y] No	

COMMENTS TO AUTHORS

This case report is very interesting and clinically relevant. There are no comments in this paper.



8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242 Fax: +1-925-223-8243 E-mail: bpgoffice@wjgnet.com http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Hematology

ESPS manuscript NO: 31858

Title: Management of unstable angina in a patient with haemophilia A

Reviewer's code: 00225156

Reviewer's country: Luxembourg

Science editor: Fang-Fang Ji

Date sent for review: 2016-12-13 16:14

Date reviewed: 2017-02-25 23:41

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
[] Grade A: Excellent	[] Grade A: Priority publishing	Google Search:	[] Accept
[] Grade B: Very good	[Y] Grade B: Minor language	[] The same title	[] High priority for
[Y] Grade C: Good	polishing	[] Duplicate publication	publication
[] Grade D: Fair	[] Grade C: A great deal of	[] Plagiarism	[] Rejection
[] Grade E: Poor	language polishing	[Y] No	[Y] Minor revision
	[] Grade D: Rejected	BPG Search:	[] Major revision
		[] The same title	
		[] Duplicate publication	
		[] Plagiarism	
		[Y] No	

COMMENTS TO AUTHORS

In this case report, Carbone et al. report about a patient with hemophilia whose unstable coronary syndrome was successfully treated percutaneously in the absence of factor VIII administration. Although the patient had minor hemophilia only, which makes the outcome less surprising, the manuscript is still interesting. English language could be improved a bit, and the paper by Fefer et al. (J Thromb Thrombolysis 2013, 35, 271-278) is surprisingly not cited nor discussed although it is most relevant for the topic.



8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242 Fax: +1-925-223-8243 E-mail: bpgoffice@wjgnet.com http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Hematology

ESPS manuscript NO: 31858

Title: Management of unstable angina in a patient with haemophilia A

Reviewer's code: 00506472 Reviewer's country: Greece Science editor: Fang-Fang Ji

Date sent for review: 2016-12-13 16:14

Date reviewed: 2016-12-14 23:48

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
[] Grade A: Excellent	[Y] Grade A: Priority publishing	Google Search:	[] Accept
[] Grade B: Very good	[] Grade B: Minor language	[] The same title	[] High priority for
[Y] Grade C: Good	polishing	[] Duplicate publication	publication
[] Grade D: Fair	[] Grade C: A great deal of	[] Plagiarism	[] Rejection
[] Grade E: Poor	language polishing	[Y] No	[Y] Minor revision
	[] Grade D: Rejected	BPG Search:	[] Major revision
		[] The same title	
		[] Duplicate publication	
		[] Plagiarism	
		[Y] No	

COMMENTS TO AUTHORS

It is a well written case report of a patient with mild Hemophilia A, who presents with unstable angina, treated successfully with coronary angioplasty and drug eluting stent (DES) implantation without replacement of FVIII. To be noted that not many similar cases have been described in the literature. Few comments: 1. It is noted that the prevalence of coronary heart disease in haemophilia patients was 0.05 % in those under 30 years of age and 15.2 % in those aged 60 or more. Please provide respective prevalence in general population to estimate the increased prevalence of coronary heart disease in haemophilia patients 2. It is noted that according to a Consent Document of the World Federation of Hemophilia (Ferraris, Boral, Cohen, Smyth, & White, 2015), experts recommend levels of FVIII activity of 80%, during the PTCA, and in 48 hours, achieved through the infusion of recombinant FVIII. However the authors decide not to infuse recombinant FVIII in their patient, although the level of FVIII activity, before the procedure, was 50% as "this increases the risk of acute thrombosis in patients with unstable plaques." and "patient's clinical history was free of major bleeding" Please discuss if this is a personal authors desicion or there is any similar guideline from any Official Scientific Organization.