



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Obstetrics and Gynecology

ESPS manuscript NO: 22560

Title: Single incision slings: Are they ready for real life?

Reviewer's code: 00506606

Reviewer's country: United States

Science editor: Fang-Fang Ji

Date sent for review: 2015-09-18 18:05

Date reviewed: 2015-10-09 04:16

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input checked="" type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good		<input type="checkbox"/> Duplicate publication	
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Plagiarism	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade E: Poor	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Minor revision
		BPG Search:	<input type="checkbox"/> Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

COMMENTS TO AUTHORS

This is a nice review. Please do not bold names in the reference. Small editorial corrections are suggested.



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Obstetrics and Gynecology

ESPS manuscript NO: 22560

Title: Single incision slings: Are they ready for real life?

Reviewer's code: 00505679

Reviewer's country: Spain

Science editor: Fang-Fang Ji

Date sent for review: 2015-09-18 18:05

Date reviewed: 2015-10-18 02:19

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input checked="" type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> Plagiarism	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		[Y] No	<input type="checkbox"/> Major revision
		BPG Search:	
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		[Y] No	

COMMENTS TO AUTHORS

Results section should be revised results because it is too deep and extensive. So should summarized this section and make it more attractive to readers. If it possible would be very interesting to include pictures of the different devices.