



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Hypertension

ESPS manuscript NO: 15702

Title: Multi-slice Computerized Tomography Critical Role in Transcatheter Aortic Valve Implantation Plan: Review of Current Literature

Reviewer's code: 00227676

Reviewer's country: United States

Science editor: Fang-Fang Ji

Date sent for review: 2014-12-04 14:28

Date reviewed: 2014-12-15 12:47

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input checked="" type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		BPG Search:	<input type="checkbox"/> Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

COMMENTS TO AUTHORS

Interesting review article about MSCT evaluation of patients for TAVI



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Hypertension

ESPS manuscript NO: 15702

Title: Multi-slice Computerized Tomography Critical Role in Transcatheter Aortic Valve Implantation Plan: Review of Current Literature

Reviewer's code: 02456611

Reviewer's country: China

Science editor: Fang-Fang Ji

Date sent for review: 2014-12-04 14:28

Date reviewed: 2015-01-21 12:43

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		BPG Search:	<input type="checkbox"/> Major revision
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

COMMENTS TO AUTHORS

I have read with great interest the manuscript entitled "Multi-slice Computerized Tomography Critical Role in Transcatheter Aortic Valve Implantation Plan: Review of Current Literature". Although this manuscript needs language and grammar editing it certainly adds to currently known literature on this topic. Other than suggesting meticulous English editing I have no other comments.