

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Methodology

ESPS manuscript NO: 21600

Title: Efficient management and maintenance of ultrasonic nebulizers to prevent microbial contamination

Reviewer's code: 02519158

Reviewer's country: Poland

Science editor: Yue-Li Tian

Date sent for review: 2015-08-06 08:22

Date reviewed: 2015-08-20 03:40

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input type="checkbox"/> Plagiarism	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		<input type="checkbox"/> No	<input type="checkbox"/> Major revision
		BPG Search:	
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input type="checkbox"/> No	

COMMENTS TO AUTHORS

This is interesting and well written article, which may be a useful source of knowledge for all clinicians, because nosocomial infections are an important problem of contemporary clinical practice. The research is well designed and experimental part is described in detail. For this reason this article is worthy of publication. However, I suggest to supplement the Reference section with some important publications concerning the topic of research, such as: 1. Oie S et al., Microbial contamination of nebulization solution and its measures. Biol Pharm Bull 2006; 29: 503-507. 2. Michalopoulos A et al. Aerosol delivery of antimicrobial agents during mechanical ventilation: Current practice and perspectives. Curr Drug Deliv 2011; 8: 208-212. After this correction I will recommend this article for publication in World Journal of Methodology.

ESPS PEER-REVIEW REPORT

Name of journal: World Journal of Methodology

ESPS manuscript NO: 21600

Title: Efficient management and maintenance of ultrasonic nebulizers to prevent microbial contamination

Reviewer's code: 00225232

Reviewer's country: Canada

Science editor: Yue-Li Tian

Date sent for review: 2015-08-06 08:22

Date reviewed: 2015-09-02 22:09

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	Google Search:	<input checked="" type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> Plagiarism	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		<input checked="" type="checkbox"/> No	<input type="checkbox"/> Major revision
		BPG Search:	
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input checked="" type="checkbox"/> No	

COMMENTS TO AUTHORS

The work is rigorous, the methodology is sound and the conclusions well supported by data.