



BAISHIDENG PUBLISHING GROUP INC

7901 Stoneridge Drive, Suite 501, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

PEER-REVIEW REPORT

Name of journal: World Journal of Methodology

Manuscript NO: 33042

Title: Accuracy of crescent sign on ocular ultrasound in diagnosing papilledema

Reviewer's code: 00505209

Reviewer's country: Poland

Science editor: Jin-Xin Kong

Date sent for review: 2017-02-08

Date reviewed: 2017-02-21

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> Plagiarism	<input checked="" type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		[Y] No	<input type="checkbox"/> Major revision
		BPG Search:	
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		[Y] No	

COMMENTS TO AUTHORS

I consider this study to have valuable data that would be of interest if published. However ultrasound might be a useful examination tool for papilledema diagnosis, in my opinion it should be always followed by MRI if there is a crescent sign and this conclusion should be added in your manuscript.