## Revision of Manuscript NO.: 69671, Case Report

Dear editor,

Thank you for the nice and detailed review. We have made point-by-point revisions and responses to the reviewer's comments. The reasons and revisions are listed in the following tables to the reviewer. In the revised manuscript, all the changes are highlighted in RED color. We deeply appreciate your valuable comments, which stimulated a more thorough consideration of the paper and future studies as well. Thank you.

Sincerely,

Corresponding author of Manuscript NO.: 69671

## **Reviewer #1**

Comments	Responses
The authors report a case of lunate	Yes. We thank the reviewer for the
dislocation with triquetral fracture	insightful comments. Indeed, this was our
who recovered well after undergoing	first case to perform closed reduction
closed reduction and internal fixation.	internal fixation. Owing to its rarity, the
This treatment option avoids harm to	long-term prognosis of this procedure
the patient from open surgery. The	was still under debate. The patient was
long-term prognosis of closed	recalled back for follow-up after
reduction internal fixation procedures	post-operative 1.5 years. We did not
may require further evaluation.	observe obvious change of lunate
	necrosis or arthritis in the latest X-ray
	follow-up.
Whether lunate edema is completely	Yes. We completely agree with the
resorbed or continues to progress into	reviewer's comment. It was also the most
osteonecrosis. This needs further	important concern we wanted to know.
study.	The patient was recalled back again on
	Oct. 21th this year. Encouragingly, the
	lunate edema was almost completely
	resorbed, and did not progress into
	osteonecrosis in the follow-up MRI.