



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

Prof. Jin-Lei Wang

Science Editor, Editorial Office

Baishideng Publishing Group Inc

November 2, 2021

Dear Editor and Reviewers,

Thank you for your letter and for the reviewers' comments concerning our manuscript. We greatly valued all the comments, which were very helpful for us to revise the paper and to improve its quality. Based on your comments, we have made a careful revision throughout the manuscript. To the best of our abilities, we modified the manuscript to improve its understandability and scientific quality.

PEER-REVIEW REPORT

Name of journal: *World Journal of Clinical Cases*

Manuscript NO: 70169

Title: Fluoroscopic removal of fractured, retained, embedded Z self-expanding metal stents using a guidewire lasso technique-a case report

Reviewer's code: 05151858

Position: Peer Reviewer

Academic degree: PhD

Professional title: Doctor

Reviewer's Country/Territory: Turkey

Author's Country/Territory: China

Manuscript submission date: 2021-07-25

Reviewer chosen by: AI Technique

Reviewer accepted review: 2021-08-22 16:55

Reviewer performed review: 2021-08-22 17:23

Review time: 1 Hour

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

The author described a rare case. A successful operation was performed. Post-treatment radiography and CT images are not very successful, but in such cases, it is not possible to go back and take them again. If there is no other problem, I find it publishable. Kind regards.

Answer: The manuscript was revised by native English speaker, and the figures was provided in PPT, thanks.