

1. In the Introduction section, please change “where the vascular dysplasia is easy to ischemia” to “where the vascular dysplasia may easily cause ischemia”.

Answer: This is because the splenic region to the sigmoid colon is the "watershed region" of colonic blood supply, where the vascular dysplasia may easily cause ischemia.

2. Please consider using “so the prognosis is favorable” instead of “so the prognosis is well”.

Answer: The disease is relatively mild and cured after conservative medical treatment, so the prognosis is favorable .

3. Regarding the Case report section, instead of the phrase “Most patients will improve clinical symptoms within 1 to 2 days”, please use “Most patients will present improvements of clinical symptoms within 1 to 2 days”.

Answer: Most patients will present improvements of clinical symptoms within 1 to 2 days, and patients with complications may require surgery.

4. Please change the phrase “The clinic was admitted with "colonic multiple ulcers pending diagnosis" to “The patient was admitted in the clinic with “multiple colonic ulcers pending diagnosis”.

Answer: The patient was admitted in the clinic with “multiple colonic ulcers pending diagnosis”.

5. Regarding the CT scan results, please consider replacing “Thickening and edema of the colon wall, considering inflammatory changes, please further examine if necessary, in combination with clinical practice” with “Thickening and edema of the colon wall, and possible inflammatory changes, to be furthered examined if necessary, in combination with clinical evaluation” and further, in the same paragraph “Colon wall changes, consistent with ischemic enteritis, please be combined with clinical” to “Colon wall changes, consistent with ischemic enteritis, to be interpreted within clinical context.”

Answer: The whole abdomen CT scan showed: 1. Thickening and edema of the colon wall, and possible inflammatory changes, to be furthered examined if necessary, in combination with clinical evaluation; 2. Calcification of right lobe of liver; 3. Small amount of fluid in abdominal cavity. Mesenteric CTA showed: 1. No obvious abnormalities in mesenteric arteries and veins; 2. Colon wall changes, consistent with ischemic enteritis, to be interpreted within clinical context ; 3. Small amount of ascites?

6. Please, instead of “Physical examination at admission: T 36.2°C P 97 times/min R 18 times/min BP 110/90mmHg clear consciousness, general spirit”, consider using “Physical examination at admission: temperature 36.2°C, Pulse: 97 beats/min, respiratory rate 18 breath cycles/min, blood pressure 110/90 mm Hg, the patient is conscious, with normal mental status.”

Answer: Physical examination at admission: temperature 36.2°C, Pulse: 97 beats/min, respiratory rate 18 breath cycles/min, blood pressure 110/90 mm Hg, the patient is conscious, with normal mental status, no yellow staining of sclera, no palpebral conjunctival pallor,

7. Please use Figure instead of picture throughout the manuscript.

Answer:(See Figure 1~5) (See Figure 6~8) (See Figure 9~11)See Figure 12(See Figure 13)

8. Please consider “antibiotic” instead of “anti-infection”.

Answer:Symptomatic and supportive treatment such as hemostasis, fluid rehydration, antibiotic, improvement of blood supply and regulation of intestinal flora was given. After admission, symptomatic and supportive treatment such as antibiotic (levofloxacin), acid inhibition and stomach protection, fluid replenishment, and intravenous nutrition were given.

9. Please consider using a more impersonal perspective regarding the interdepartmental discussion section and a more continuous presentation of the information.

Answer:2021-07-07Our department organized discussion on this difficult cases.Department of Immunology and Rheumatology thought the patient's pathology suggested eosinophilia, which was caused by many reasons, such as eosinophil granulomatous vasculitis.This patient had normal eosinophilia, normal blood routine, lung (-), skin (-), and rheumatic diseases were not considered. Imaging Department considered the patient's CT images were not clear, intestinal filling was not good, there were no enlarged lymph nodes, no fatty infiltration, no transmural inflammation, and no specific manifestations. Pathology suggested the patient's acid-fast was negative, no specific manifestations. Department of Infection said the patient had no evidence of infection (no fever, normal blood routine, negative bacterial culture, low IGE, and uncommon parasitic infections). Chief Physician Xiuli Zuo advised the patient ITP, oral platelet capsule treatment, platelet capsule contains green Dai, will cause intestinal ulcer.

10. Please keep a consistent use of verbal tenses throughout the manuscript.

Answer:In this paper, the general past tense is used to state the patient's condition. The present simple tense is used in other scientific fact sections.

11. In the Discussion section, instead of “However, given that the patient had a similar”, please consider using “However, the patient had a similar” as there is no conclusion within the phrase.

Answer:However, the patient had a similar medical history 3 years ago, and the clinical symptoms improved rapidly after the discontinuation of the platelet-raising capsule this time, and he did not take platelet-raising capsule again after discharge.

12. Please replace “continuous deterioration of the disease” with “continuous progression of the disease”.

Answer:Clinical symptoms can be rapidly improved after discontinuation of pathogenic drugs, while continuous use of the drug will lead to continuous progression of the disease, which is a unique clinical feature of drug-related IC.

13. Please consider using the phrase “Because it cannot show tertiary blood vessels, it is of little clinical significance.”

Answer:Because it cannot show tertiary blood vessels, it is of little clinical significance.

14. Please consider the changes to the phrase “In addition, this patient presented blood in the stool when taking traditional Chinese medicine containing indigo

naturalis, while when the drug was discontinued”.

Answer: In addition, the patient had blood in the stool when taking Chinese medicine containing Qingdai, and the symptoms improved and did not recur after stopping the drug, suggesting that the patient's digestive tract lesions were closely related to the use of drugs.

15. Please use the phrase “Pay attention to and treat the primary disease early, at the same time applying symptomatic treatment.”

Answer: Pay attention to and treat the primary disease early, at the same time applying symptomatic treatment.

16. Consider using “and observe closely” instead of “close observation”.

Answer: Platelet-raising capsule can lead to IC, so clinicians should have a full understanding of the application of the drug in the treatment of various causes of thrombocytopenia, weigh the advantages and disadvantages, and observe closely.

17. In the Conclusion section, please consider using “Once abdominal pain, diarrhea, and blood in the stool occur, the drug should be stopped immediately, with implementation of active treatment, and avoidance of the further use the pathogenic drug.”

Answer: Once abdominal pain, diarrhea, and blood in the stool occur, the drug should be stopped immediately, with implementation of active treatment, and avoidance of the further use the pathogenic drug.