

Answer to query from WJCO

Sr.no	Query	Response
1	Please add in method section, a treatment amounts to gr/weight.	<p>Since this is a fixed dose combination of Netupitant 300 mg and palonosetron 0.50mg, the treatment with NEPA was not provided on the basis of weight.</p> <p>We have added this line in method section (page 5) which highlights the dosage of combination a single oral capsule of netupitant 300 mg and palonosetron hydrochloride 0.5 mg.</p>
	please add legend and discussion below every tables	<p>Relevant legend and discussion for each table is explained below each table.</p> <p>Detail discussion of each table is there in result and discussion part of the manuscript</p>
	were is figure 2	On suggestion of other reviewer, we have removed original figure 2 from the manuscript
2	Page 3. The last two lines: The authors have forgotten to describe clearly the dosage of NEPA and dexamethasone. 'Before initiating chemotherapy, all patients were treated with a single oral tablet of NEPA. After 60 minutes, chemotherapy was initiated.	Changes done on the material and methods section and is highlighted on page 5 of manuscript

	Dexamethasone was concomitantly administered intravenously in all patients.'	
	In the US, the 'NEPA' is marketed as a capsule, not a tablet. The authors should describe the unique difference in the manufacture of NEPA in India.	NEPA is marketed as a capsule in India. This was a typo error from our end , which is corrected and the change is highlighted on page 5 of manuscript
	Table 1. the value for the chemotherapy cycle should not be in the Roman numeral (I, II, III), but 1, 2, 3.	Relevant changes done, changes highlighted on page no 12 of manuscript
	Figure 1. This is a retrospective study. Therefore, please change the wording 'Patients recruited into the study' into 'Patients planned to undergo MEC or HEC.'	Considering the retrospective nature, the framing of sentences were wrong from our end, We have made the relevant changes and the figure is submitted in the attached ppt
3	Treatment schedule in participants- needs to be better described. What is the dosage of drugs?	Dosage of the drug is highlighted in method section. We have added this line in method section (page 5) which highlights the dosage of combination

		a single oral capsule of netupitant 300 mg and palonosetron hydrochloride 0.5 mg.
	I believe that figure 2 is not necessary. It does not add value to the paper.	Figure 2 removed
	Badalamenti et al.: it is not necessary to put the year? Check for all the text.	Year 2019 is added, Change highlighted in page no 7
	Add legend to tables.	Relevant legend is added below each table