

Specific Comments to Authors:

The study is well organized, performed and described. My comments are mostly technical in nature. preoperative gastroscopic biopsies (Part 2.1) - esophagosopic is right. 2.4.1 Acquisition of Gastric Pathological Tissue under Gastroscopy (Subtitle) - Esophageal, Esophagoscopy is right.

We have corrected the error at Part 2.1 to esophagosopic; The subheading error at 2.4.1 has been corrected according to the editor's suggestions.

ddH₂O (2.4.3.2) - to be explained in full. There is a lot of space errors in part 3.4. To be corrected. 3.4 feature extraction and model construction (Subtitle) - Feature is right. Normogram (Fig. 4 and 5 Legends, Table 4) - nomogram is right. CRC (Discussion) - it is better to use a full version of term (colorectal cancer).

We have written the full name of ddH₂O at 2.4.3.2 as "double Distilled Water". We have corrected the subheading error at section 3.4; We have corrected all the errors in the original "Normogram" in our article to "nomogram". In the discussion section, we replaced "CRC" with the full name "colorectal cancer".

References should be constructed in FULL ACCORDANCE to the Guidelines for Authors! Abbreviated Journal Titles should be as listed in PubMed. The largest number of technical errors in the article relate to abbreviations. Authors should carefully check all abbreviations and correct errors.

1) the abbreviation must be indicated when it first appears in the text; 2) repeated explanations should be deleted; 3) if the abbreviation was indicated in the text, in the remaining text it is advisable to use only the abbreviated version of the term. All detected errors are highlighted in red in the attached file.

Our team members have rechecked the writing style of the references, corrected all abbreviations, and removed duplicate abbreviations. If there are any related errors, please contact us in a timely manner so that we can make further corrections