

Supplementary Table 1 Timeline

Items	Case 1	Case 2	Case 3	Case 4	Case 5	Case 6	Case 7
Age (yr)	44	41	54	42	39	37	33
Gender	Male	Female	Male	Male	Female	Female	Female
Past disease history	Hypertension, Fatty liver	Chronic hepatitis B	Hepatitis B carrier	None	None	None	None
Initial symptom	Right frontal mass	Left orbital swelling	Pulmonary infection	Bone pain	Superciliary arch hypopsia	Chest, low back and leg pain	Low back pain
MM type	IgG-κ	k light chain	IgG-κ	IgG-κ	IgG-κ	k light chain	IgG-κ
DS stage	IA	IIIA	IIIA	IIIB	IIIA	IIIB	IIIA
ISS stage	I	I	II	III	I	III	II
FISH test	Normality	No testing	No testing	Normality	1q21+	1q21+	No testing
D1 time	2018.11	2018.4	2011.9	2007.12	2010.2	2011.1	2014.7
Initial treatment	Surgical resection, VRD and	Surgical resection and	T-CAD and lenalidomide maintenance	Surgical resection, T-CAD and	Surgical resection, radiotherapy,	BAD and thalidomide	Surgical resection and CAD

	lenalidomide	radiotherapy	therapy	thalidomide	T-CAD, BAD, maintenance		
	maintenance			maintenance	B-CEVAD and therapy		
	therapy			therapy	thalidomide		
					maintenance		
					therapy		
D2 time	2019.5	2018.4	2013.10	2011.8	2010.2	2015.2	2019.4
Treatment	VRD and PDD and BAD and Surgical			T-CAD, BAD	BAD,	R-DECP .BED	
	lenalidomide	lenalidomide	lenalidomide resection		and	T-CAD and	and
	maintenance	maintenance	maintenance and T- CAD	thalidomide	thalidomide	lenalidomide	
	therapy	therapy	therapy	maintenance	maintenance	maintenance	
				therapy	therapy	therapy	
Outcome	Survival	Died	Died	Died	Died	Died	Survival
PFS	18 mo	13 mo	33 mo	44 mo	33 mo	36 mo	24 mo
OS	18 mo	25 mo	36 mo	127 mo	48 mo	60 mo	71 mo

D1,multiple myeloma;D2,orbital EMD; PD, disease progression; ISS, International Staging System; FISH, fluorescence in situ hybridization; VRD: Bortezomib,Lenalidomide and Dexamethsone; BAD regimen (Bortezomib, Doxorubicin and Dexamethsone); CAD: Ifosfamide, Epirubicin or Piraubicin and Dexamethsone; T-CAD: Thalidomide and CAD; B-CEVAD: Bortezomib, Etoposide, ifosfamide, Vindesine sulfate, Epirubicin, and Dexamethsone; BED regimen:(Bortezomib, Etoposide and Dexamethsone; CR:

complete remission; PR: partial remission.