

ESPS JOURNAL EDITOR-IN-CHIEF'S REVIEW REPORT

Name of journal: World Journal of Meta-Analysis

ESPS manuscript NO: 23547

Title: CT fluoroscopy guided percutaneous lung biopsy for ground-glass opacity pulmonary lesions: A meta-analysis

Journal Editor-in-Chief (Associate Editor): Giuseppe Biondi-Zoccai

Country: Italy

Editorial Director: Xiu-Xia Song

Date sent for review: 2016-02-18 11:21

Date reviewed: 2016-02-18 17:53

| ACADEMIC CONTENT EVALUATION | LANGUAGE QUALITY EVALUATION | CONCLUSION |
|--|--|--|
| <input checked="" type="checkbox"/> Grade A: Excellent | <input checked="" type="checkbox"/> Grade A: Priority publishing | <input checked="" type="checkbox"/> Accept |
| <input type="checkbox"/> Grade B: Very good | <input type="checkbox"/> Grade B: Minor language polishing | <input type="checkbox"/> High priority for publication |
| <input type="checkbox"/> Grade C: Good | <input type="checkbox"/> Grade C: A great deal of language polishing | <input type="checkbox"/> Revision |
| <input type="checkbox"/> Grade D: Fair | <input type="checkbox"/> Grade D: Rejected | <input type="checkbox"/> Rejection |
| <input type="checkbox"/> Grade E: Poor | | |

JOURNAL EDITOR-IN-CHIEF (ASSOCIATE EDITOR) COMMENTS TO AUTHORS

High priority, accept as is