

## ESPS JOURNAL EDITOR-IN-CHIEF'S REVIEW REPORT

**Name of journal:** World Journal of Gastroenterology

**ESPS manuscript NO:** 17671

**Title:** Liver resection for hepatocellular carcinoma using a microwave tissue coagulator: Experience of 1118 cases

**Journal Editor-in-Chief (Associate Editor):** Nahum Mendez-Sanchez

**Country:** Mexico

**Editorial Director:** Jin-Lei Wang

**Date sent for review:** 2015-06-26 09:46

**Date reviewed:** 2015-06-28 07:09

ACADEMIC CONTENT EVALUATION	LANGUAGE QUALITY EVALUATION	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input checked="" type="checkbox"/> Revision
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade E: Poor		

### JOURNAL EDITOR-IN-CHIEF (ASSOCIATE EDITOR) COMMENTS TO AUTHORS

It is a very important study with a large patients population. I have tow suggestions: 1. Remove the following sentence: The study protocol was approved by the Human Ethics Review Committee of Toranomom Hospital to page 3 patients and methods population section in the ned of the first paragraph 2. Delete figures 1 and 2. Are not useful