



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

## ESPS JOURNAL EDITOR-IN-CHIEF'S REVIEW REPORT

**Name of journal:** World Journal of Gastroenterology

**ESPS manuscript NO:** 20785

**Title:** Life and death at the mucosal-luminal interface: New perspectives on human intestinal ischemia-reperfusion

**Journal Editor-in-Chief (Associate Editor):** Andrzej S Tarnawski

**Country:** United States

**Editorial Director:** Jin-Lei Wang

**Date sent for review:** 2015-11-23 18:58

**Date reviewed:** 2015-11-26 04:30

ACADEMIC CONTENT EVALUATION	LANGUAGE QUALITY EVALUATION	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input checked="" type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Revision
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade E: Poor		

### JOURNAL EDITOR-IN-CHIEF (ASSOCIATE EDITOR) COMMENTS TO AUTHORS

This is a timely and well conceived Mini review article. Comments: 1) The review could be further strengthened by adding 2 paragraphs on intestinal progenitor cells, which are likely critical target of injury and essential for mucosal regeneration. 2) The authors may wish to cite paper: Chu EC, Tarnawski AS. Rapid colonoscopic detection and quantification of colonic ischemia by using a laser Doppler flowmeter. Gastrointest Endosc. 2007 Sep;66(3):630-2. PMID: 17521646 3. Minor errors e.g. reviewed elsewhere[9,10] ischemically etc. should be corrected