



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

## ESPS JOURNAL EDITOR-IN-CHIEF'S REVIEW REPORT

**Name of journal:** World Journal of Cardiology

**ESPS manuscript NO:** 19955

**Title:** Imaging of pannus formation in patients with mechanical heart valves

**Journal Editor-in-Chief (Associate Editor):** Giora Landesberg

**Country:** Israel

**Editorial Director:** Xiu-Xia Song

**Date sent for review:** 2015-09-10 08:19

**Date reviewed:** 2015-09-12 03:40

ACADEMIC CONTENT EVALUATION	LANGUAGE QUALITY EVALUATION	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	<input checked="" type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Revision
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input type="checkbox"/> Rejection

### JOURNAL EDITOR-IN-CHIEF (ASSOCIATE EDITOR) COMMENTS TO AUTHORS

Although the occurrence of PPM with a 23mm aortic prosthetic valve is very unlikely, the authors are right that this possibility should always be considered after excluding all other possible causes for increased gradient.