

ESPS JOURNAL EDITOR-IN-CHIEF'S REVIEW REPORT

Name of journal: World Journal of Cardiology

ESPS manuscript NO: 28726

Title: To ventricular assist devices or not: When is implantation of a ventricular assist device appropriate in advanced ambulatory heart failure?

Journal Editor-in-Chief (Associate Editor): Fabio Barili

Country: Italy

Editorial Director: Xiu-Xia Song

Date sent for review: 2016-10-13 12:24

Date reviewed: 2016-10-14 20:10

ACADEMIC CONTENT EVALUATION	LANGUAGE QUALITY EVALUATION	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Revision
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade E: Poor		

JOURNAL EDITOR-IN-CHIEF (ASSOCIATE EDITOR) COMMENTS TO AUTHORS

Dear Dr Cerier, Your revised paper has been received and is accepted for publication in World Journal of Cardiology. Thank you for being responsive. Congratulations and thank you for permitting us to publish this excellent contribution.