



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

## ESPS JOURNAL EDITOR-IN-CHIEF'S REVIEW REPORT

**Name of journal:** World Journal of Medical Genetics

**ESPS manuscript NO:** 16605

**Title:** Comparison of next generation sequencing-based and methylated DNA immunoprecipitation-based approaches for fetal aneuploidy non-invasive prenatal testing

**Journal Editor-in-Chief (Associate Editor):** Hans van Bokhoven

**Country:** Netherlands

**Editorial Director:** Xiu-Xia Song

**Date sent for review:** 2015-04-10 18:03

**Date reviewed:** 2015-04-13 16:29

ACADEMIC CONTENT EVALUATION	LANGUAGE QUALITY EVALUATION	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Revision
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input type="checkbox"/> Rejection

### JOURNAL EDITOR-IN-CHIEF (ASSOCIATE EDITOR) COMMENTS TO AUTHORS

This is an excellent review, but I have two points to take into account: 1. The authors declare no conflict of interest. However, in the conclusions they write "Our team is working towards developing a commercially available MeDIP-based test". Therefore, I think this should be added as a comment to the article as per guidelines of WJMG. 2. There is a typographical error that needs to be corrected: at page 3: "...and by is identical to half of the corresponding fetal DNA..." should be "...and because it is identical to half of the corresponding fetal DNA".